

Dukes County Health Council Youth Task Force

Youth Risk Behavior Survey 2006/2007

Report II: High School Age Students

**Report Prepared by
Southeast Center for Healthy Communities
A Program of Health Care of Southeastern Massachusetts, Inc.**

Table of Contents

<i>Background.....</i>	3
<i>Substance Use.....</i>	6
<i>Alcohol.....</i>	9
<i>Marijuana.....</i>	15
<i>Tobacco.....</i>	19
<i>Other Drugs.....</i>	24
<i>Consequences of Substance Use.....</i>	27
<i>Access to Substances.....</i>	29
<i>Perception of Risk of Harm of Use.....</i>	33
<i>Perception of Parental Disapproval.....</i>	34
<i>Social Norms.....</i>	36
<i>Mental Health.....</i>	38
<i>Family.....</i>	40
<i>Extracurricular Activities.....</i>	41
<i>Additional Topics.....</i>	42
<i>Releasing Data.....</i>	43
<i>Frequency Tables.....</i>	44

Background

Introduction

This report is the second of three on the 2006/2007 Martha's Vineyard Youth Risk Behavior survey. It provides survey results for Martha's Vineyard High School. Report I outlined the survey methodology and discussed the overall survey sample. Report III outlines the Middle School results. In providing High School Youth Risk Behavior Survey results, this report first examines the return rate and sample specific to the High School. Next, demographics of the students surveyed will be provided. Finally, survey results and interpretation will be given by topic area.

Sample

The population of Martha's Vineyard High School at the time of survey administration (February 19, 2007) was 797 students, while 525 were included in the sample (reasons for not being included in the sample include absence, opting out of the survey, and removal due to a validity check- see Report I for more detail). The return rate (percent of enrolled students included in the sample) was 66%.

<i>Enrolled at Martha's Vineyard High School</i>	797
<i>Absent, opted out, or removed due to validity check</i>	-272
<i>Final Sample</i>	525
<i>Return Rate</i> <i>(percent of student body surveyed)</i>	66%

Due to the return rate (66%) it is not possible to generalize the results to *all* Martha's Vineyard High School students; rather, the results reflect the behaviors, attitudes, and opinions *only* of those students who took the survey.

Demographic Profile

The Martha's Vineyard High School Youth Risk Behavior Survey measured the following demographic characteristics: gender, grade, age, and race/ethnicity. The results of these items are summarized in the table below:

	<i>Number of Students</i>	<i>Percentage of Respondents</i>
Overall Valid Surveys	525	100%
Sex		
<i>Male</i>	289	56%
<i>Female</i>	231	44%
Grade		
<i>9th grade</i>	150	29%
<i>10th grade</i>	127	24%
<i>11th grade</i>	129	25%
<i>12th grade</i>	119	23%
Age		
<i>14 years old</i>	66	13%
<i>15 years old</i>	133	26%
<i>16 years old</i>	130	25%
<i>17 years old</i>	117	22%
<i>18 years old or older</i>	76	15%
Race/Ethnicity		
<i>White</i>	390	75%
<i>Black</i>	23	4%
<i>Hispanic/Latino</i>	31	6%
<i>Asian or Pacific Islander</i>	13	3%
<i>American Indian/Alaska Native</i>	20	4%
<i>Other</i>	40	8%

Comparison Data

Since the survey administered at Martha’s Vineyard High School is based on an existing instrument, comparison data for many question items is publicly available. Comparisons are useful for providing context to survey results; a sense of what is average can aid in identifying both strengths and priority areas.

Centers for Disease Control Youth Risk Behavior Survey

For this report, national comparison numbers are from the 2005 Youth Risk Behavior Survey data set.

Massachusetts Youth Risk Behavior Survey





State comparison numbers used in this report are from the 2005 Massachusetts Youth Risk Behavior Survey data set.

Reporting Survey Results

Key findings have been extracted from the data set in order to highlight the behaviors of Martha’s Vineyard High School students. Statements of “higher” or “lower” indicate trends in the data. “Trends” reflect patterns of behavior, and do not necessarily indicate significant differences from comparison rates.¹

Symbols Key

The following symbols are used to highlight trends in the data

-  Indicates a positive trend or comparison
-  Indicates a negative trend or comparison
-  Is used when an item requires additional explanation or context
-  Highlights data that is interesting, but cannot be clearly categorized as positive or negative (for example, usage rates of a substance may compare favorably with the state, but not the nation)

¹ Please note that, when comparing Martha’s Vineyard High School data to the state and national data, *statistical significance has not been calculated.*

What substances are Martha's Vineyard High School students currently using?

To answer the question of what substances Martha's Vineyard High School students are currently using, a definition of "current use" will first be provided. Next, an overall view of substances used by Martha's Vineyard High School students will be given, and use rates compared to available national and state data. Following this broad view, substance use will be examined by substance- alcohol, tobacco, marijuana, and other drugs.

Defining "Current" Use

"Current" use of a substance is defined as using a substance on at least one occasion during the 30 days prior to the survey date. Using this definition allows comparisons to state and national Youth Risk Behavior Survey data.

Overview of Current Substance Use

This section of the report is intended to provide a comparison summary of substances used by Martha's Vineyard High School students. The chart on page 8 shows the rates of current substance use among Martha's Vineyard High School students. As previously stated, these comparisons are useful for prioritizing problem areas to be addressed and for highlighting strengths of the Martha's Vineyard High School population.

The top three most widely used drugs among MVHS students are alcohol (55%) followed by marijuana (30%), and cigarettes (13%). Eleven percent (11%) reported current cigar use and 7% smokeless tobacco use.

Alcohol is the drug most commonly used by Martha's Vineyard High School students, with 55% of students reporting current use. This rate is higher than that of Massachusetts (48%) and slightly more than that of the United States (43%).

The rate of high-risk drinking among MVHS students (39%) is also higher than that of their state (27%) and national (26%) peers. High-risk drinking behavior is defined *for the purposes of this survey* as five or more drinks in a row within a couple of hours at least once in the past month.²

Marijuana was the second most commonly used substance among MVHS students, with 30% reporting current use. This rate is higher than that of Massachusetts (26%) and the United States (20%).


² This definition of high-risk drinking is identical to that used in the state and national Youth Risk Behavior Surveys, allowing comparison; it is *not*, however, a universally accepted definition

Cigarettes were the third most prevalent substance at Martha's Vineyard High School, with 13% of students reporting current use. This rate is lower than that of Massachusetts (21%) and the United States (26%). Eleven percent (11%) of MVHS students reported current cigar use, lower than both Massachusetts (14%) and the United States (14%). Seven percent (7%) reported smokeless tobacco use, higher than Massachusetts (4%) but slightly lower than the United States (8%).

Prescription drugs were misused by 5% of students, and over-the-counter medications by 5%.

Current use of all other substances by Martha's Vineyard High School students was generally quite low. Hallucinogens were used by 4% of students, inhalants 3%, ecstasy 2%, and heroin 1%.

Martha's Vineyard High School Current Substance Use Compared to Massachusetts & United States




Alcohol Use


Overview of Alcohol Use

👉 Alcohol is the most widely used substance among Martha's Vineyard High School students

👉 55% of MHS students currently use alcohol



👉 The rate of current alcohol use at Martha's Vineyard High School (55%) is *higher* than that of Massachusetts (48%) and the United States (43%)




Drinkers & Non-Drinkers by Grade

The following table shows the percentage of current alcohol users & non-users within each grade:

	9 th Grade	10 th Grade	11 th Grade	12 th Grade
Non-drinkers	64%	50%	35%	28%
Drinkers	36%	50%	65%	72%

👍 **Not** using alcohol is the norm for 9th graders

👉 The chart below also shows the percent of each grade reporting current alcohol use:



👉 Alcohol use increases with each grade


👎 Unfortunately, 50% or more of 10th, 11th and 12th grade students report current alcohol use

Alcohol Use by Gender

The following table and chart show the percent of each gender reporting current alcohol use:


	<i>Females</i>	<i>Males</i>
<i>Percent of Gender Reporting Current Use of Alcohol</i>	54%	56%


👉 A slightly higher percentage of males (56%) than females (54%) report current alcohol use





👎 Unfortunately, more than 50% of both males and females report current alcohol use


High-Risk Drinking

 The rate of current high-risk drinking³ is **higher** among Martha's Vineyard High School students (39%) than either Massachusetts (27%) or the United States (26%)





 A slightly higher percentage of males (40%) than females (35%) report current high-risk drinking



 **Not** engaging in high-risk drinking is the norm for both females and males


³ "High-risk drinking" defined for the purposes of this survey as having 5 or more drinks in a row with a couple of hours at least once during the 30 days prior to the survey

 The chart below shows the percent of students within each grade reporting current high-risk drinking:




 **Not** engaging in high-risk drinking is the norm for grades 9, 10, and 12

Lifetime Use of Alcohol

 Twenty-six percent (26%) of Martha’s Vineyard High School students have never had a drink in their lifetimes, slightly higher than Massachusetts (24%) and about the same as the United States (26%)


Age of First Use of Alcohol

 The average age of first use of alcohol among Martha’s Vineyard High School student *that have reported alcohol use* is 13.63 years of age⁴

⁴ Average of first use of alcohol defined as age at which “you had your first drink of alcohol other than a few sips”

Use of Alcohol on School Property

- 👉 5% of MVHS students report using alcohol on school property, *slightly higher* than both Massachusetts (4%) and the United States (4%)




Marijuana Use


Overview of Marijuana Use

👉 Marijuana is the second most widely used substance at Martha's Vineyard High School


👍 Most (70%) Martha's Vineyard High School students *did not* use marijuana in the 30 days prior to the survey




👉 The rate of current marijuana use (30%) is *higher than* that of Massachusetts (26%) and the United States (20%)




Lifetime Marijuana Use


 52% of MVHS students have used marijuana at least once in their lifetimes

Age of First Use of Marijuana

 The average age of first use of marijuana *among those students reporting marijuana use* is 13.77 years of age⁵

Marijuana Use on School Property

 Only 5% of MVHS students report using marijuana on school property in the 30 days prior to the survey



⁵ Average age of first use of marijuana defined as age "when you tried marijuana for the first time"


Marijuana Users and Non-users by Grade

The following table shows the percentage of current marijuana users & non-users within each grade:

	9 th Grade	10 th Grade	11 th Grade	12 th Grade
Non-users	91%	65%	58%	63%
Users	9%	35%	42%	37%



Not using marijuana is the norm for every grade




The largest increase in marijuana use occurs between 9th grade (9% reporting current use) and 10th grade (35% reporting current use)

Marijuana Use by Gender

	<i>Females</i>	<i>Males</i>
<i>Percent of Gender Reporting Current Use of Marijuana</i>	28%	32%

👉 Slightly more males (32%) than females (28%) report current marijuana use




👍 Not using marijuana is the norm for both females and males


Tobacco Use

Overview of Cigarette Use


👍 **Most** (87%) Martha's Vineyard High School students *do not* currently smoke cigarettes




👍 The Martha's Vineyard High School current cigarette use rate (13%) is *lower* than both Massachusetts (21%) and the United States (23%)




Lifetime Cigarette Use

 28% of Martha's Vineyard High School students have tried cigarette smoking at some point in their lives

 This rate (28%) is *lower* than that of Massachusetts (51%) and the United States (54%)

Age of First Use of Cigarettes

 The average age of first use of cigarettes *among those students that report cigarette use* is 13.72 years of age⁶

⁶ Age of first use of cigarettes is defined as the age “when you smoked a whole cigarette for the first time”

Cigarette Use by Grade

The following chart shows the percent of current cigarette smokers and non-smokers within each grade:


	9 th Grade	10 th Grade	11 th Grade	12 th Grade
Non-users	96%	87%	83%	81%
Users	4%	13%	17%	19%



Not using cigarettes is the norm for every grade



The chart below also shows the percent of each grade reporting current cigarette use:




The largest increase in cigarette use occurs between 9th (4%) and 10th (13%) grade

Cigarette Use by Gender

👉 The table below shows the percent of males and females reporting current cigarette use:

	<i>Females</i>	<i>Males</i>
<i>Percent of Gender Reporting Current Use of Cigarettes</i>	18%	9%

👉 The chart below also shows the percent within each gender reporting current cigarette use:







👉 The rate of current cigarette use among females (18%) is double that of males (9%)

Cigarette Use on School Property

👍 Only 3% of Martha's Vineyard High School students report smoking cigarettes on school property in the 30 days prior to the survey








👍 This rate (3%) is *lower* than that of the Massachusetts (7%) and the United States (9%)

Overview of Other Tobacco Use








-  Most Martha's Vineyard High School students (89%) **do not** currently smoke cigars
-  The MVHS current cigar use rate (11% of students report use) is lower than that of Massachusetts (14%) and the United States (14%)
-  Most Martha's Vineyard High School students (93%) **do not** currently use smokeless tobacco
-  The rate of current smokeless tobacco use (7%) is *slightly higher* than that of Massachusetts (4%) and *slightly lower* than that of the United States (8%)

Other Drug Use


Current Use of Other Drugs

-  4% of MVHS students report using hallucinogens in the 30 days prior to the survey
-  Only 3% of MVHS students report using inhalants during the 30 days prior to the survey
-  Only 2% of MVHS students report using cocaine during the 30 days prior to the survey
-  Only 2% of MVHS students report using ecstasy during the 30 days prior to the survey
-  Only 1% of MVHS students report using heroin during the 30 days prior to the survey
-  5% of MVHS students report using a prescription drug without a doctor's orders during the 30 days prior to the survey
-  5% of MVHS students report using an over-the-counter drug for something other than its intended purpose during the 30 days prior to the survey


Lifetime Use of Other Drugs


-  13% of MVHS students have, at least once in their lives, used a prescription drug without a doctor's orders
-  9% of MVHS students have, at least once in their lives, used an over-the-counter medication for something other than its intended purpose
-  10% of MVHS students have, at least once in their lives, used a hallucinogenic substance (such as LSD, PCP, or mushrooms)
-  8% of MVHS students have, at least once in their lives, used inhalants (for example, sniffing glue or inhaling paints or sprays to get high)
-  7% of MVHS students have, at least once in their lives, used cocaine
-  4% of MVHS students have, at least once in their lives, used Ecstasy
-  Only 1% of MVHS students have ever used heroin


Injection Drug Use

-  6% of MVHS students have, at some point in their lives, used a needle to inject an illegal drug

Offered/Sold/Given Drugs

 18% of MVHS students were offered, sold, or given an illegal drug on school property during the 12 months prior to the survey

 This rate (18%) is *lower* than that of Massachusetts (30%) and the United States (25%)

 42% of MVHS students were offered, sold, or given an illegal drug when not in school during the past 12 months

Consequences of Substance Use

This section of the report discusses consequences Martha’s Vineyard High School students have experienced as a result of substance use.

Substance Use and Driving

👎 10% of Martha’s Vineyard High School students drove a car or other vehicle when they had been drinking alcohol during the 30 days prior to the survey


👉 This rate (10%) is *about the same* as that of Massachusetts (11%) and the United States (10%)

👎 28% of Martha’s Vineyard High School students *rode* in a car or other vehicle driven by someone who had been drinking during the 30 days prior to the survey

👉 This rate (28%) is *about the same* as that of Massachusetts (27%) and the United States (28%)


👎 9% of Martha’s Vineyard High School students drove a car or other vehicle when they had been using marijuana during the 30 days prior to the survey

👎 27% of Martha’s Vineyard High School students *rode* in a car or other vehicle driven by someone who had been using marijuana during the 30 days prior to the survey



Other Consequences of Alcohol and Other Drug Use

- 👎 23% of Martha's Vineyard High School students, in the past year, got in trouble with their parents as a result of alcohol or other drug use
- 👎 29% of Martha's Vineyard High School students, in the past year, did "stupid or dangerous things" while drinking or using drugs
- 👎 31% of Martha's Vineyard High School students, in the past year, vomited as a result of alcohol or other drug use
- 👎 16% of Martha's Vineyard High School students, in the past year, lost consciousness (passed out) as a result of alcohol or other drug use





Access to Substances


This section of the report features two topics: actual access to substances (*where* and *how* students obtain alcohol and cigarettes) and perception of ease of access to substances (how easy a student feels it would be to obtain alcohol, tobacco, and other drugs).





Actual Access

Access to Alcohol

 The following chart shows the location/person from which a student who uses alcohol usually gets it. Students could select only one option:



 Social access appears to be more common than access from a parent or buying alcohol oneself


-  28% of alcohol users ask someone of legal age to buy for them
-  27% of alcohol users get it from friends their own age
-  Only 6% of alcohol users take it from a parent or friend's parent
-  Only 3% of alcohol users report that their parents give them alcohol as their most frequent method of access

Access to Tobacco


- 👉 Of those that report current cigarette use, during the past 30 days:
 - 👉 34% borrowed/bummed cigarettes from someone else
 - 👉 32% had someone else buy cigarettes for them
 - 👉 19% bought them in a store
 - 👉 3% (n=2) bought them from a vending machine
 - 👉 2% (n=1) stole them
 - 👉 10% got them some other way

Perception of Ease of Access


👉 67% of students believe it would be easy to get alcohol if he/she wanted some




👉 66% of students believe it would be easy to get cigarettes if he/she wanted some



👉 67% of students believe it would be easy to get marijuana if he/she wanted some




👉 15% of students believe it would be easy to get hard drugs (such as cocaine or LSD) if he/she wanted some



Perception of Risk of Harm

“Perception of risk of harm” is one of the SAMHSA “four core measures” required of Drug Free Communities grantees. These questions asked students how much they believed people risked harming themselves by engaging in six behaviors: taking one or two drinks of an alcoholic beverage, having five or more drinks of an alcoholic beverage once or twice every weekend, taking one or two drinks of an alcoholic beverage nearly every day, smoking one or more packs of cigarettes per day, smoking marijuana occasionally, and smoking marijuana regularly.

- 👉 17% of students believe taking one or two drinks of alcohol is risky
- 👉 62% of students believe taking five or more drinks of alcohol once or twice every weekend is risky
- 👉 73% of students believe taking one or two drinks of alcohol nearly every day is risky
- 👉 40% of students believe occasional marijuana use is risky
- 👉 66% of students believe regular marijuana use is risky
- 👉 87% of students believe smoking one or more packs of cigarettes per day is risky




Perception of Disapproval

“Perception of disapproval” contains two categories: perception of parental disapproval (a SAMHSA core measure) and perception of community disapproval of substance use.






Perception of Parental Disapproval

- 👉 83% of students believe their parents feel it wrong or very wrong for the student to regularly drink alcohol
- 👉 93% of students believe their parents feel it wrong or very wrong for the student to smoke cigarettes
- 👉 85% of students believe their parents feel it wrong or very wrong for the student to smoke marijuana



Perception of Community Disapproval

A series of three questions asked students how wrong most adults (over 21) in the student's neighborhood think it is for someone the student's age to use alcohol, smoke cigarettes, or use marijuana. Additionally, students were asked whether a youth in his/her neighborhood would be caught by the police if drinking alcohol or using marijuana.


-  69% of students believe most adults in their neighborhood feel it wrong for someone the student's age to drink alcohol
-  80% of students believe most adults in their neighborhood feel it wrong for someone the student's age to smoke cigarettes
-  73% of students believe most adults in their neighborhood feel it wrong for someone the student's age to use marijuana
-  Only 7% of students believe a youth using alcohol in the student's neighborhood would be caught by the police
-  Only 12% of students believe a youth using marijuana in the student's neighborhood would be caught by the police

Social Norms

A series of questions were posed that are related to the social norms approach to prevention. The social norms approach states that students (and individuals generally) overestimate their peers' risky behaviors. This misperception is a "hidden risk factor", as a student may feel pressure to engage in risky behavior him or herself, believing more of his/her peers engage in the behavior than actually do.

Perception of "Typical" Student


The chart below shows, in blue, the percent of students actually reporting current use of alcohol and marijuana. The bar in red shows the percent of students who believe the typical student used the substance during the past 30 days.



- As of this report, alcohol use is the norm for Martha's Vineyard High School students, though barely (55% reporting current use). 96% of students therefore correctly perceive the "typical student" is a user.
- The typical student does not use marijuana. However, 94% of students believe the typical student is a marijuana user

Perception of “Typical” Student’s Alcohol Use

Though 94% of students correctly perceived that the typical student is an alcohol user, they misperceived the frequency of use. The below chart demonstrates this misperception:



Though the typical student used alcohol, use was generally on 2 or fewer days (toward the left side of the chart). However, students generally *perceived* that the “typical student” used on 6 or more days (toward the right side of the chart). Thus, a misperception exists regarding students’ *frequency* of alcohol use.

Mental Health

On the 2006/2007 Martha’s Vineyard Youth Risk Behavior Survey, students were asked questions on stress, depression, suicide, and “cutting” (deliberately injuring oneself without wanting to die).

Stress


👉 54% of students state that they would describe their life as stressful

👍 A majority (60%) of students state that they have been taught ways to reduce or manage stressful situations

Depression

👎 21% of students report that, in the past year, they felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing usual activities


👍 This rate (21%) is *lower than* that of Massachusetts (27%) the United States (29%)



👉 During the past year, 9% of students sought medical help or took prescription medication for depression

Suicide

- 👎 During the past year, 12% of students seriously considered attempting suicide
 - 👍 This rate (12%) is *slightly lower* than that of Massachusetts (13%) and *lower* than the United States (17%)
- 👎 During the past year, 12% of students made a plan about how they would attempt suicide
 - 👉 This rate (12%) is *the same as* that of Massachusetts (12%) and *slightly lower* than the United States (13%)
- 👎 During the past year, 12% of students actually attempted suicide
 - 👎 This rate is *higher* than that of Massachusetts (6%) and the United States (8%)





“Cutting” (deliberate self-injury)


- 👎 During the past year, 18% of students hurt or injured themselves on purpose (for example, by cutting, burning, or bruising)


Family

Family Bonding


 74% of students feel close to their mother

 59% of students feel close to their father







 55% of students share their thoughts and feelings with their mother

 41% of students share their thoughts and feelings with their father

Honesty with Family

 A majority (71%) of students feel it is important to be honest with their parents, even if the parent becomes upset or the student gets punished

Involvement with Extracurricular Activities

-  58% of students participated in a club or organization in the past year
-  67% of students were on a sports team in the past year
-  40% of students were involved with music or performing arts in the past year
-  17% of students were on student council/student government in the past year
-  58% of students did community service (in or out of school) in the past year
-  85% of students worked in a job (paid or unpaid) in the past year

Additional Topics

Several questions were posed on the 2007 Martha's Vineyard Youth Risk Behavior Survey that do not fit in any categories already reported on. These items are covered in this section of the report.


Stealing

 19% of students feel it is okay to take something without asking if you can get away with it

Violence

 51% of students believe it is alright to beat people up if they start the fight

Cheating at School

 53% of students believe it is sometimes OK to cheat at school

Releasing Data to the Public

The Southeast Center for Healthy Communities advises communities to be thoughtful and intentional in releasing data to the public. Research has found that publicizing the risks practiced by the **minority** of youth can actually be harmful, possibly increasing risky behaviors amongst young people. There are effective means to release your data to the public. For information on using your survey data effectively for both planning and educational purposes, please consult the Southeast Center for Healthy Communities.

Frequency Tables

The tables that follow contain the responses to every question asked of High School students on the Martha's Vineyard Youth Risk Behavior Survey.

How to Read a Frequency Table

Each frequency table has five columns

- The first (leftmost) column lists the answer choices for each question
- The next column, labeled **frequency**, lists the *number* of respondents selecting the particular answer choice
- The **percent** column lists the percent of students selecting the particular answer choice out of the *total number of respondents* (including those who did not provide an answer for the question item)
- The **valid percent** is the percent of students selecting the particular answer choice out of the *number responding to the question*. Valid percent eliminates the “missing system” number from the calculation. Throughout this report, the valid percent is the number used in discussing the data.
 - The **missing system** number is the number of respondents who did not provide an answer to the question.

Frequencies: Martha's Vineyard High School Frequency Table

How old are you?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	14 years old	66	12.6	12.6	12.6
	15 years old	133	25.3	25.5	38.1
	16 years old	130	24.8	24.9	63.0
	17 years old	117	22.3	22.4	85.4
	18 years or older	76	14.5	14.6	100.0
	Total	522	99.4	100.0	
Missing	System	3	.6		
Total		525	100.0		

What is your sex?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Female	231	44.0	44.4	44.4
	Male	289	55.0	55.6	100.0
	Total	520	99.0	100.0	
Missing	System	5	1.0		
Total		525	100.0		

In what grade are you?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	9th	150	28.6	28.6	28.6
	10th	127	24.2	24.2	52.8
	11th	129	24.6	24.6	77.3
	12th	119	22.7	22.7	100.0
	Total	525	100.0	100.0	

How do you describe yourself?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	White-not Hispanic	390	74.3	75.4	75.4
	Black-Not hispanic	23	4.4	4.4	79.9
	Hispanic or Latino	31	5.9	6.0	85.9
	Asian or Pacific Islander	13	2.5	2.5	88.4
	American Indian or Alaskan Native	20	3.8	3.9	92.3
	Other	40	7.6	7.7	100.0
	Total	517	98.5	100.0	
Missing	System	8	1.5		
Total		525	100.0		

In the past year, have you participated in a Club or Organization?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	298	56.8	58.0	58.0
	No	216	41.1	42.0	100.0
	Total	514	97.9	100.0	
Missing	System	11	2.1		
Total		525	100.0		

In the past year, have you been on a sports team?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	348	66.3	67.3	67.3
	No	169	32.2	32.7	100.0
	Total	517	98.5	100.0	
Missing	System	8	1.5		
Total		525	100.0		

In the past year, have you been involved with Music or Performing arts?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	207	39.4	40.3	40.3
	No	307	58.5	59.7	100.0
	Total	514	97.9	100.0	
Missing	System	11	2.1		
Total		525	100.0		

In the past year, have you been on Student Council or government?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	85	16.2	16.6	16.6
	No	426	81.1	83.4	100.0
	Total	511	97.3	100.0	
Missing	System	14	2.7		
Total		525	100.0		

In the past year, have you done community service in or out of school?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	298	56.8	58.4	58.4
	No	212	40.4	41.6	100.0
	Total	510	97.1	100.0	
Missing	System	15	2.9		
Total		525	100.0		

In the past year have you worked in a paid or unpaid job?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	444	84.6	85.5	85.5
	No	75	14.3	14.5	100.0
	Total	519	98.9	100.0	
Missing	System	6	1.1		
Total		525	100.0		

Have you ever tried cigarette smoking, even one or two puffs?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	192	36.6	36.6	36.6
	No	332	63.2	63.4	100.0
	Total	524	99.8	100.0	
Missing	System	1	.2		
Total		525	100.0		

If you have ever smoked, how old were you when you smoked a whole cigarette for the first time?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never smoked a whole cigarette	367	69.9	71.5	71.5
	8 years old or younger	9	1.7	1.8	73.3
	9 or 10 years old	8	1.5	1.6	74.9
	11 or 12 years old	20	3.8	3.9	78.8
	13 or 14 years old	44	8.4	8.6	87.3
	15 or 16 years old	53	10.1	10.3	97.7
	17 years or older	12	2.3	2.3	100.0
	Total		513	97.7	100.0
Missing	System	12	2.3		
Total		525	100.0		

During the past 30 days, on how many days did you smoke cigarettes?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 days	451	85.9	87.1	87.1
	1 or 2 days	17	3.2	3.3	90.3
	3 to 5 days	5	1.0	1.0	91.3
	6 to 9 days	8	1.5	1.5	92.9
	10 to 19 days	15	2.9	2.9	95.8
	20 to 29 days	9	1.7	1.7	97.5
	All 30 days	13	2.5	2.5	100.0
	Total	518	98.7	100.0	
Missing	System	7	1.3		
Total		525	100.0		

During the past 30 days, on the days you smoke, how many cigarettes did you smoke PER DAY?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I did not smoke cigarettes in the past 30 days	449	85.5	86.8	86.8
	1 cigarette or less per day	27	5.1	5.2	92.1
	2 to 5 cigarettes	34	6.5	6.6	98.6
	6 to 10 cigarettes	3	.6	.6	99.2
	11 to 20 cigarettes	4	.8	.8	100.0
	Total	517	98.5	100.0	
Missing	System	8	1.5		
Total		525	100.0		

During the past 30 days, on how many days did you smoke cigarettes ON SCHOOL PROPERTY?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 days	500	95.2	96.5	96.5
	1 or 2 days	8	1.5	1.5	98.1
	3 to 5 days	2	.4	.4	98.5
	6 to 9 days	1	.2	.2	98.6
	10 to 19 days	4	.8	.8	99.4
	20 to 29 days	1	.2	.2	99.6
	All 30 days	2	.4	.4	100.0
	Total	518	98.7	100.0	
Missing	System	7	1.3		
Total		525	100.0		

During the past 30 days, how did you usually get your own cigarettes? (select only one response)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I did not try to get cigarettes in the past 30 days	448	85.3	86.8	86.8
	I bought them in a store (convenience store, gas station..)	13	2.5	2.5	89.3
	I bought them from a vending machine	2	.4	.4	89.7
	Someone else bought them for me	22	4.2	4.3	94.0
	I borrowed (or bummed) them from someone else	23	4.4	4.5	98.4
	I stole them	1	.2	.2	98.6
	Some other way	7	1.3	1.4	100.0
	Total	516	98.3	100.0	
Missing	System	9	1.7		
Total		525	100.0		

Have you ever Smoked a cigar?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	184	35.0	35.2	35.2
	No	339	64.6	64.8	100.0
	Total	523	99.6	100.0	
Missing	System	2	.4		
Total		525	100.0		

During the past 30 days, on how many days did you smoke cigars?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 days	462	88.0	89.0	89.0
	1 or 2 days	41	7.8	7.9	96.9
	3 to 5 days	5	1.0	1.0	97.9
	6 to 9 days	2	.4	.4	98.3
	10 to 19 days	5	1.0	1.0	99.2
	20 to 29 days	2	.4	.4	99.6
	All 30 days	2	.4	.4	100.0
	Total	519	98.9	100.0	
Missing	System	6	1.1		
Total		525	100.0		

Have you ever used chewing tobacco or snuff (Beechnut, Redman, Skoal...)?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	73	13.9	14.0	14.0
	No	448	85.3	86.0	100.0
	Total	521	99.2	100.0	
Missing	System	4	.8		
Total		525	100.0		

During the past 30 days, on how many days did you use chewing tobacco or snuff?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 days	482	91.8	92.9	92.9
	1 or 2 days	20	3.8	3.9	96.7
	3 to 5 days	13	2.5	2.5	99.2
	6 to 9 days	1	.2	.2	99.4
	10 to 19 days	1	.2	.2	99.6
	20 to 29 days	1	.2	.2	99.8
	All 30 days	1	.2	.2	100.0
	Total	519	98.9	100.0	
Missing	System	6	1.1		
Total		525	100.0		

If you bought tobacco (cigarettes, cigars or chew) in a store during the past 30 days, how often were you asked to show proof of age?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I did not try to buy tobacco in a store in the past	462	88.0	89.5	89.5
	Never asked to show proof of age	11	2.1	2.1	91.7
	Rarely asked to show proof of age	6	1.1	1.2	92.8
	Sometimes asked to show proof of age	7	1.3	1.4	94.2
	Most of the time asked to show proof of age	16	3.0	3.1	97.3
	Always asked to show proof of age	14	2.7	2.7	100.0
	Total	516	98.3	100.0	
Missing	System	9	1.7		
Total		525	100.0		

If you have ever tried alcohol, how old were you when you had your first drink of alcohol, other than a few sips?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never had a drink of alcohol other than a few sips	134	25.5	25.9	25.9
	8 years old or younger	17	3.2	3.3	29.2
	9 or 10 years old	13	2.5	2.5	31.7
	11 or 12 years old	56	10.7	10.8	42.6
	13 or 14 years old	166	31.6	32.1	74.7
	15 or 16 years old	108	20.6	20.9	95.6
	17 years or older	23	4.4	4.4	100.0
	Total	517	98.5	100.0	
Missing	System	8	1.5		
Total		525	100.0		

During the past 30 days, on how many days did you have at least one drink of alcohol?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 days	233	44.4	45.2	45.2
	1 or 2 days	107	20.4	20.8	66.0
	3 to 5 days	71	13.5	13.8	79.8
	6 to 9 days	68	13.0	13.2	93.0
	10 to 19 days	28	5.3	5.4	98.4
	20 to 29 days	4	.8	.8	99.2
	All 30 days	4	.8	.8	100.0
	Total	515	98.1	100.0	
Missing	System	10	1.9		
Total		525	100.0		

In your opinion, during the past 30 days, on how many days do you think the average Martha's Vineyard High Student had at least one drink of alcohol?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 days	21	4.0	4.1	4.1
	1 or 2 days	37	7.0	7.3	11.4
	3 to 5 days	112	21.3	22.0	33.4
	6 to 9 days	185	35.2	36.3	69.7
	10 to 19 days	109	20.8	21.4	91.2
	20 to 29 days	18	3.4	3.5	94.7
	All 30 days	27	5.1	5.3	100.0
	Total	509	97.0	100.0	
Missing	System	16	3.0		
Total		525	100.0		

What percentage of students, at Martha's Vineyard High School, do you believe have used alcohol in the past 30 days?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0%	49	9.3	9.6	9.6
	10%	13	2.5	2.5	12.2
	20%	22	4.2	4.3	16.5
	30%	29	5.5	5.7	22.2
	40%	53	10.1	10.4	32.5
	50%	68	13.0	13.3	45.9
	60%	96	18.3	18.8	64.7
	70%	99	18.9	19.4	84.1
	80%	81	15.4	15.9	100.0
	Total	510	97.1	100.0	
Missing	System	15	2.9		
Total		525	100.0		

During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 days	318	60.6	61.9	61.9
	1 day	52	9.9	10.1	72.0
	2 days	51	9.7	9.9	81.9
	3 to 5 days	50	9.5	9.7	91.6
	6 to 9 days	25	4.8	4.9	96.5
	10 to 19 days	10	1.9	1.9	98.4
	20 or more days	8	1.5	1.6	100.0
	Total	514	97.9	100.0	
Missing	System	11	2.1		
Total		525	100.0		

During the past 30 days, on how many days did you have at least one drink of alcohol ON SCHOOL PROPERTY?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 days	494	94.1	95.0	95.0
	1 or 2 days	15	2.9	2.9	97.9
	3 to 5 days	1	.2	.2	98.1
	6 to 9 days	4	.8	.8	98.8
	10 to 19 days	3	.6	.6	99.4
	All 30 days	3	.6	.6	100.0
	Total	520	99.0	100.0	
Missing	System	5	1.0		
Total		525	100.0		

During the past 30 days, how many times did you RIDE in a car or other vehicle driven by someone who had been drinking alcohol?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	376	71.6	72.4	72.4
	1 time	74	14.1	14.3	86.7
	2 or 3 times	42	8.0	8.1	94.8
	4 or 5 times	12	2.3	2.3	97.1
	6 or more times	15	2.9	2.9	100.0
	Total	519	98.9	100.0	
Missing	System	6	1.1		
Total		525	100.0		

During the past 30 days, how many times did you DRIVE a car or other vehicle when you had been drinking alcohol?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I do not drive	310	59.0	60.1	60.1
	0 times	155	29.5	30.0	90.1
	1 time	27	5.1	5.2	95.3
	2 or 3 times	16	3.0	3.1	98.4
	4 or 5 times	4	.8	.8	99.2
	6 or more times	4	.8	.8	100.0
	Total	516	98.3	100.0	
Missing	System	9	1.7		
Total		525	100.0		

If you drink alcohol, where do you usually get the alcohol that you drink? (select one)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I don't drink alcohol	193	36.8	38.2	38.2
	I take it from my parents of my friend	20	3.8	4.0	42.2
	I get it from friends my own age	85	16.2	16.8	59.0
	I buy it myself at a store, tavern or bar	8	1.5	1.6	60.6
	I ask someone of legal age to buy it for me	87	16.6	17.2	77.8
	Older friends give it to me	51	9.7	10.1	87.9
	Older brothers/sisters give it to me	13	2.5	2.6	90.5
	My parents give it to me	9	1.7	1.8	92.3
	Other	39	7.4	7.7	100.0
	Total	505	96.2	100.0	
Missing	System	20	3.8		
Total		525	100.0		

If you have tried marijuana, how old were you when you tried it for the first time?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never had a drink of alcohol other than a few sips	250	47.6	48.4	48.4
	8 years old or younger	5	1.0	1.0	49.4
	9 or 10 years old	12	2.3	2.3	51.7
	11 or 12 years old	40	7.6	7.8	59.5
	13 or 14 years old	111	21.1	21.5	81.0
	15 or 16 years old	82	15.6	15.9	96.9
	17 years or older	16	3.0	3.1	100.0
	Total	516	98.3	100.0	
Missing	System	9	1.7		
Total		525	100.0		

During the past 30 days, how many times did you use marijuana?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	361	68.8	70.2	70.2
	1 or 2 times	61	11.6	11.9	82.1
	3 to 9 times	38	7.2	7.4	89.5
	10 to 19 times	18	3.4	3.5	93.0
	20 to 39 times	16	3.0	3.1	96.1
	40 or more times	20	3.8	3.9	100.0
	Total	514	97.9	100.0	
Missing	System	11	2.1		
Total		525	100.0		

In your opinion, during the past 30 days, how many times do you think the average Martha's Vineyard High School Student used marijuana.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	32	6.1	6.3	6.3
	1 or 2 times	47	9.0	9.3	15.6
	3 to 9 times	137	26.1	27.0	42.5
	10 to 19 times	154	29.3	30.3	72.8
	20 to 39 times	88	16.8	17.3	90.2
	40 or more times	50	9.5	9.8	100.0
	Total	508	96.8	100.0	
Missing	System	17	3.2		
Total		525	100.0		

What percentage of students, at Martha's Vineyard High School, do you believe have used marijuana in the past 30 days?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0%	56	10.7	11.2	11.2
	10%	25	4.8	5.0	16.1
	20%	29	5.5	5.8	21.9
	30%	39	7.4	7.8	29.7
	40%	59	11.2	11.8	41.4
	50%	62	11.8	12.4	53.8
	60%	79	15.0	15.7	69.5
	70%	82	15.6	16.3	85.9
	80%	71	13.5	14.1	100.0
	Total	502	95.6	100.0	
Missing	System	23	4.4		
Total		525	100.0		

During the past 30 days, how many times did you use marijuana on school property?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	485	92.4	94.5	94.5
	1 or 2 times	15	2.9	2.9	97.5
	3 to 9 times	7	1.3	1.4	98.8
	10 to 19 times	3	.6	.6	99.4
	20 to 39 times	1	.2	.2	99.6
	40 or more times	2	.4	.4	100.0
	Total	513	97.7	100.0	
Missing	System	12	2.3		
Total		525	100.0		

During the past 30 days, how many times did you RIDE in a car or other vehicle driven by someone who had been using marijuana?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	375	71.4	73.5	73.5
	1 time	39	7.4	7.6	81.2
	2 or 3 times	50	9.5	9.8	91.0
	4 or 5 times	9	1.7	1.8	92.7
	6 or more times	37	7.0	7.3	100.0
	Total	510	97.1	100.0	
Missing	System	15	2.9		
Total		525	100.0		

During the past 30 days, how many times did you DRIVE a car or other vehicle when you had been using marijuana?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I do not drive	320	61.0	63.0	63.0
	0 times	142	27.0	28.0	90.9
	1 time	16	3.0	3.1	94.1
	2 or 3 times	10	1.9	2.0	96.1
	4 or 5 times	9	1.7	1.8	97.8
	6 or more times	11	2.1	2.2	100.0
	Total	508	96.8	100.0	
Missing	System	17	3.2		
Total		525	100.0		

How wrong do your parents feel it would be for you to drink beer, wine, or hard liquor (vodka, whiskey, gin...) regularly?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very wrong	265	50.5	51.6	51.6
	Wrong	161	30.7	31.3	82.9
	A little bit wrong	71	13.5	13.8	96.7
	Not wrong at all	17	3.2	3.3	100.0
	Total	514	97.9	100.0	
Missing	System	11	2.1		
Total		525	100.0		

How wrong do your parents feel it would be for you to smoke cigarettes?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very wrong	389	74.1	75.4	75.4
	Wrong	92	17.5	17.8	93.2
	A little bit wrong	22	4.2	4.3	97.5
	Not wrong at all	13	2.5	2.5	100.0
	Total	516	98.3	100.0	
Missing	System	9	1.7		
Total		525	100.0		

How wrong do your parents feel it would be for you to smoke marijuana?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very wrong	326	62.1	62.9	62.9
	Wrong	112	21.3	21.6	84.6
	A little bit wrong	60	11.4	11.6	96.1
	Not wrong at all	20	3.8	3.9	100.0
	Total	518	98.7	100.0	
Missing	System	7	1.3		
Total		525	100.0		

How much do you think people risk harming themselves (physically or in other ways) if they try one or two drinks of an alcoholic beverage (beer, wine, liquor)?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No risk	160	30.5	31.2	31.2
	Slight risk	262	49.9	51.1	82.3
	Moderate risk	75	14.3	14.6	96.9
	Great risk	16	3.0	3.1	100.0
	Total	513	97.7	100.0	
Missing	System	12	2.3		
Total		525	100.0		

How much do you think people risk harming themselves (physically or in other ways) if they have five or more drinks of an alcoholic beverage once or twice every weekend?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No risk	44	8.4	8.6	8.6
	Slight risk	144	27.4	28.1	36.6
	Moderate risk	220	41.9	42.9	79.5
	Great risk	105	20.0	20.5	100.0
	Total	513	97.7	100.0	
Missing	System	12	2.3		
Total		525	100.0		

How much do you think people risk harming themselves (physically or in other ways) if they take one or two drinks of an alcoholic beverage (beer, wine, liquor) nearly every day?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No risk	43	8.2	8.4	8.4
	Slight risk	90	17.1	17.5	25.9
	Moderate risk	164	31.2	31.9	57.8
	Great risk	217	41.3	42.2	100.0
	Total	514	97.9	100.0	
Missing	System	11	2.1		
Total		525	100.0		

How much do you think people risk harming themselves (physically or in other ways) if they smoke one or more packs of cigarettes per day?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No risk	25	4.8	4.9	4.9
	Slight risk	28	5.3	5.5	10.4
	Moderate risk	76	14.5	14.9	25.3
	Great risk	381	72.6	74.7	100.0
	Total	510	97.1	100.0	
Missing	System	15	2.9		
Total		525	100.0		

How much do you think people risk harming themselves (physically or in other ways) if they smoke marijuana occasionally?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No risk	134	25.5	26.0	26.0
	Slight risk	171	32.6	33.2	59.2
	Moderate risk	123	23.4	23.9	83.1
	Great risk	87	16.6	16.9	100.0
	Total	515	98.1	100.0	
Missing	System	10	1.9		
Total		525	100.0		

How much do you think people risk harming themselves (physically or in other ways) if they smoke marijuana regularly?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No risk	69	13.1	13.5	13.5
	Slight risk	96	18.3	18.8	32.4
	Moderate risk	137	26.1	26.9	59.2
	Great risk	208	39.6	40.8	100.0
	Total	510	97.1	100.0	
Missing	System	15	2.9		
Total		525	100.0		

you have ever tried cocaine (any form, including powder, crack or freebase?) how old were you when you first tried it?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never tried it	483	92.0	93.2	93.2
	8 years or younger	5	1.0	1.0	94.2
	9 or 10 years old	2	.4	.4	94.6
	11 or 12 years old	2	.4	.4	95.0
	13 or 14 years old	6	1.1	1.2	96.1
	15 or 16 years old	15	2.9	2.9	99.0
	17 years or older	5	1.0	1.0	100.0
	Total	518	98.7	100.0	
Missing	System	7	1.3		
Total		525	100.0		

you have ever tried Heroin (also called smack, junk or China White) how old were you when you first tried it?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never tried it	509	97.0	98.6	98.6
	8 years or younger	2	.4	.4	99.0
	9 or 10 years old	1	.2	.2	99.2
	11 or 12 years old	1	.2	.2	99.4
	13 or 14 years old	1	.2	.2	99.6
	15 or 16 years old	1	.2	.2	99.8
	17 years or older	1	.2	.2	100.0
	Total	516	98.3	100.0	
Missing	System	9	1.7		
Total		525	100.0		

f you have ever tried to Sniff glue, or breathe the contents of spray cans or inhale any paints or sprays to get high, how old were you when you first tried it?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never tried it	474	90.3	91.9	91.9
	8 years or younger	7	1.3	1.4	93.2
	9 or 10 years old	3	.6	.6	93.8
	11 or 12 years old	4	.8	.8	94.6
	13 or 14 years old	14	2.7	2.7	97.3
	15 or 16 years old	11	2.1	2.1	99.4
	17 years or older	3	.6	.6	100.0
	Total	516	98.3	100.0	
Missing	System	9	1.7		
Total		525	100.0		

If you have ever tried Adrenochromes (also called spinners of bovays) how old were you when you first tried it?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never tried it	514	97.9	100.0	100.0
Missing	System	11	2.1		
Total		525	100.0		

If you have ever tried hallucinogenic substances (such as LSD or Acid, PCP, mushrooms) how old were you when you first tried it?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never tried it	462	88.0	89.9	89.9
	8 years or younger	5	1.0	1.0	90.9
	9 or 10 years old	1	.2	.2	91.1
	11 or 12 years old	3	.6	.6	91.6
	13 or 14 years old	4	.8	.8	92.4
	15 or 16 years old	31	5.9	6.0	98.4
	17 years or older	8	1.5	1.6	100.0
	Total	514	97.9	100.0	
Missing	System	11	2.1		
Total		525	100.0		

If you have ever tried Ecstasy (X-tc, Adam, Clarity, MDMA) how old were you when you first tried it?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never tried it	494	94.1	96.1	96.1
	8 years or younger	1	.2	.2	96.3
	11 or 12 years old	2	.4	.4	96.7
	13 or 14 years old	3	.6	.6	97.3
	15 or 16 years old	11	2.1	2.1	99.4
	17 years or older	3	.6	.6	100.0
	Total	514	97.9	100.0	
Missing	System	11	2.1		
Total		525	100.0		

Have you ever tried to use prescription medication (vicodin, oxycontin, xanax, valium or Ritalin or Adderall) without a doctor's orders, how old were you when you first tried it?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never tried it	447	85.1	87.3	87.3
	8 years or younger	1	.2	.2	87.5
	9 or 10 years old	1	.2	.2	87.7
	11 or 12 years old	3	.6	.6	88.3
	13 or 14 years old	22	4.2	4.3	92.6
	15 or 16 years old	30	5.7	5.9	98.4
	17 years or older	8	1.5	1.6	100.0
	Total	512	97.5	100.0	
Missing	System	13	2.5		
Total		525	100.0		

If you have ever tried to use non-prescription medicines (such as cough syrup, cold medication or painkillers) for something other than their intended purpose, how old were you when you first tried it?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never tried it	465	88.6	90.8	90.8
	8 years or younger	5	1.0	1.0	91.8
	9 or 10 years old	1	.2	.2	92.0
	11 or 12 years old	2	.4	.4	92.4
	13 or 14 years old	22	4.2	4.3	96.7
	15 or 16 years old	15	2.9	2.9	99.6
	17 years or older	2	.4	.4	100.0
	Total	512	97.5	100.0	
Missing	System	13	2.5		
Total		525	100.0		

During the past 30 days, how many times did you use cocaine (any form, including powder, crack or freebase)?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	497	94.7	97.8	97.8
	1 or 2 times	7	1.3	1.4	99.2
	3 to 9 times	1	.2	.2	99.4
	10 to 19 times	2	.4	.4	99.8
	20 to 39 times	1	.2	.2	100.0
	Total	508	96.8	100.0	
Missing	System	17	3.2		
Total		525	100.0		

During the past 30 days, how many times did you use heroin (also called smack, junk, or China White)?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	503	95.8	99.0	99.0
	1 or 2 times	3	.6	.6	99.6
	10 to 19 times	2	.4	.4	100.0
	Total	508	96.8	100.0	
Missing	System	17	3.2		
Total		525	100.0		

During the past 30 days, how many times did you sniff glue, or breath the contents of spray cans or inhale any paints or sprays to get high?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	492	93.7	97.0	97.0
	1 or 2 times	7	1.3	1.4	98.4
	3 to 9 times	6	1.1	1.2	99.6
	10 to 19 times	2	.4	.4	100.0
	Total	507	96.6	100.0	
Missing	System	18	3.4		
Total		525	100.0		

During the past 30 days, how many times did you use adrenochromes (also called spinners or bovays)?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	508	96.8	100.0	100.0
Missing	System	17	3.2		
Total		525	100.0		

During the past 30 days, how many times did you use Hallucinogenic substances (such as LSD or ACID, PCP, mushrooms)?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	491	93.5	96.5	96.5
	1 or 2 times	11	2.1	2.2	98.6
	3 to 9 times	5	1.0	1.0	99.6
	10 to 19 times	1	.2	.2	99.8
	20 to 39 times	1	.2	.2	100.0
	Total	509	97.0	100.0	
Missing	System	16	3.0		
Total		525	100.0		

During the past 30 days, how many times did you use Ecstasy (X-TC, Adam, Clarity, MDMA)?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	500	95.2	98.4	98.4
	1 or 2 times	5	1.0	1.0	99.4
	3 to 9 times	3	.6	.6	100.0
	Total	508	96.8	100.0	
Missing	System	17	3.2		
Total		525	100.0		

During the past 30 days, how many times did you Use prescription medications (vicodin, oxycontin, xanax, valium, Ritalin, or Adderall without a doctor's orders)?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	484	92.2	95.1	95.1
	1 or 2 times	12	2.3	2.4	97.4
	3 to 9 times	8	1.5	1.6	99.0
	10 to 19 times	5	1.0	1.0	100.0
	Total	509	97.0	100.0	
Missing	System	16	3.0		
Total		525	100.0		

During the past 30 days, how many times did you use non-prescription medicines (such as cough syrup, cold medication or painkillers) for something other than their intended purpose?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	481	91.6	94.7	94.7
	1 or 2 times	15	2.9	3.0	97.6
	3 to 9 times	7	1.3	1.4	99.0
	10 to 19 times	3	.6	.6	99.6
	20 to 39 times	2	.4	.4	100.0
	Total	508	96.8	100.0	
Missing	System	17	3.2		
Total		525	100.0		

Have you ever used a needle to inject any illegal drug into your body?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	28	5.3	5.5	5.5
	No	485	92.4	94.5	100.0
	Total	513	97.7	100.0	
Missing	System	12	2.3		
Total		525	100.0		

During the past 12 months, has anyone offered, sold or given you an illegal drug on school property?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	91	17.3	17.7	17.7
	No	422	80.4	82.3	100.0
	Total	513	97.7	100.0	
Missing	System	12	2.3		
Total		525	100.0		

During the past 12 months, has anyone offered, sold or given you an illegal drug when you were not in school?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	214	40.8	42.3	42.3
	No	292	55.6	57.7	100.0
	Total	506	96.4	100.0	
Missing	System	19	3.6		
Total		525	100.0		

If you have every used alcohol or any other drugs during the past 12 months, have you gotten into trouble with your parents because of your using alcohol or other drugs?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I did not use alcohol or other drugs in the past 12 months	183	34.9	36.2	36.2
	Yes	117	22.3	23.1	59.3
	No	206	39.2	40.7	100.0
	Total	506	96.4	100.0	
Missing	System	19	3.6		
Total		525	100.0		

If you have every used alcohol or any other drugs during the past 12 months, have you done stupid or dangerous things while drinking or using drugs that you would not have done otherwise?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I did not use alcohol or other drugs in the past 12 months	193	36.8	37.9	37.9
	Yes	145	27.6	28.5	66.4
	No	171	32.6	33.6	100.0
	Total	509	97.0	100.0	
Missing	System	16	3.0		
Total		525	100.0		

If you have every used alcohol or any other drugs during the past 12 months, have you ever vomited (thrown up) after using alcohol or other drugs?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I did not use alcohol or other drugs in the past 12 months	179	34.1	35.2	35.2
	Yes	158	30.1	31.1	66.3
	No	171	32.6	33.7	100.0
	Total	508	96.8	100.0	
Missing	System	17	3.2		
Total		525	100.0		

If you have every used alcohol or any other drugs during the past 12 months, have you ever lost consciousness (passed out) after drinking or using drugs?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I did not use alcohol or other drugs in the past 12 months	179	34.1	35.2	35.2
	Yes	83	15.8	16.3	51.6
	No	246	46.9	48.4	100.0
	Total	508	96.8	100.0	
Missing	System	17	3.2		
Total		525	100.0		

How wrong would most adults (over 21) in your neighborhood think it is for kids your age to : Drink alcohol?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very wrong	134	25.5	27.0	27.0
	Wrong	209	39.8	42.1	69.0
	A little bit wrong	124	23.6	24.9	94.0
	Not wrong at all	30	5.7	6.0	100.0
	Total	497	94.7	100.0	
Missing	System	28	5.3		
Total		525	100.0		

How wrong would most adults (over 21) in your neighborhood think it is for kids your age to : Smoke cigarettes?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very wrong	217	41.3	43.2	43.2
	Wrong	182	34.7	36.3	79.5
	A little bit wrong	76	14.5	15.1	94.6
	Not wrong at all	27	5.1	5.4	100.0
	Total	502	95.6	100.0	
Missing	System	23	4.4		
Total		525	100.0		

How wrong would most adults (over 21) in your neighborhood think it is for kids your age to : Use marijuana?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very wrong	213	40.6	42.3	42.3
	Wrong	152	29.0	30.2	72.6
	A little bit wrong	97	18.5	19.3	91.8
	Not wrong at all	41	7.8	8.2	100.0
	Total	503	95.8	100.0	
Missing	System	22	4.2		
Total		525	100.0		

If you wanted to get some beer, wine or hard liquor (vodka, whiskey, gin...) how easy would it be for you to get some?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very hard	59	11.2	11.9	11.9
	Sort of hard	106	20.2	21.5	33.4
	Sort of easy	191	36.4	38.7	72.1
	Very easy	138	26.3	27.9	100.0
	Total	494	94.1	100.0	
Missing	System	31	5.9		
Total		525	100.0		

if you wanted to get some cigarettes, how easy would it be for you to get some?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very hard	103	19.6	21.0	21.0
	Sort of hard	63	12.0	12.8	33.8
	Sort of easy	101	19.2	20.6	54.4
	Very easy	224	42.7	45.6	100.0
	Total	491	93.5	100.0	
Missing	System	34	6.5		
Total		525	100.0		

if you wanted to get some marijuana, how easy would it be for you to get some?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very hard	93	17.7	18.9	18.9
	Sort of hard	70	13.3	14.3	33.2
	Sort of easy	136	25.9	27.7	60.9
	Very easy	192	36.6	39.1	100.0
	Total	491	93.5	100.0	
Missing	System	34	6.5		
Total		525	100.0		

if you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very hard	273	52.0	56.1	56.1
	Sort of hard	142	27.0	29.2	85.2
	Sort of easy	44	8.4	9.0	94.3
	Very easy	28	5.3	5.7	100.0
	Total	487	92.8	100.0	
Missing	System	38	7.2		
Total		525	100.0		

if a kid drank some beer, wine or hard liquor (vodka, whiskey, gin...) in your neighborhood would he or she be caught by the police?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	143	27.2	28.7	28.7
	No	321	61.1	64.5	93.2
	Yes	24	4.6	4.8	98.0
	Yes!	10	1.9	2.0	100.0
	Total	498	94.9	100.0	
Missing	System	27	5.1		
Total		525	100.0		

If a kid smoked marijuana in your neighborhood would he or she be caught by the police?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	160	30.5	32.3	32.3
	No	276	52.6	55.8	88.1
	Yes	39	7.4	7.9	96.0
	Yes!	20	3.8	4.0	100.0
	Total	495	94.3	100.0	
Missing	System	30	5.7		
Total		525	100.0		

My family has clear rules about alcohol and drug use.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	29	5.5	5.9	5.9
	No	99	18.9	20.0	25.9
	Yes	204	38.9	41.3	67.2
	Yes!	162	30.9	32.8	100.0
	Total	494	94.1	100.0	
Missing	System	31	5.9		
Total		525	100.0		

If you drank some beer or wine or liquor without your parents' permission, would you be caught by your parents?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	74	14.1	15.0	15.0
	No	295	56.2	60.0	75.0
	Yes	78	14.9	15.9	90.9
	Yes!	45	8.6	9.1	100.0
	Total	492	93.7	100.0	
Missing	System	33	6.3		
Total		525	100.0		

Would you describe your life as stressful?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	263	50.1	53.5	53.5
	No	229	43.6	46.5	100.0
	Total	492	93.7	100.0	
Missing	System	33	6.3		
Total		525	100.0		

Have you ever been taught ways to reduce or manage stressful situations?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	289	55.0	59.6	59.6
	No	196	37.3	40.4	100.0
	Total	485	92.4	100.0	
Missing	System	40	7.6		
Total		525	100.0		

In the past 12 months, did you ever seek medical help or take prescription medication for depression?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	45	8.6	9.3	9.3
	No	440	83.8	90.7	100.0
	Total	485	92.4	100.0	
Missing	System	40	7.6		
Total		525	100.0		

During the past 12 months, how many times did you hurt or injure yourself ON PURPOSE? (for example, by cutting, burning, or bruising yourself on purpose.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	400	76.2	82.5	82.5
	1 or 2 times	40	7.6	8.2	90.7
	3 to 5 times	19	3.6	3.9	94.6
	6 to 9 times	11	2.1	2.3	96.9
	10 to 19 times	9	1.7	1.9	98.8
	20 or more times	6	1.1	1.2	100.0
	Total	485	92.4	100.0	
Missing	System	40	7.6		
Total		525	100.0		

During the past 12 months, did you ever feel so sad or hopeless almost every day for TWO WEEKS OR MORE IN A ROW that you stopped doing some of your usual activities?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	100	19.0	20.8	20.8
	No	381	72.6	79.2	100.0
	Total	481	91.6	100.0	
Missing	System	44	8.4		
Total		525	100.0		

During the past 12 months, did you ever SERIOUSLY consider attempting suicide?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	58	11.0	12.0	12.0
	No	425	81.0	88.0	100.0
	Total	483	92.0	100.0	
Missing	System	42	8.0		
Total		525	100.0		

During the past 12 months, did you make a plan about how you would attempt suicide?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	59	11.2	12.2	12.2
	No	424	80.8	87.8	100.0
	Total	483	92.0	100.0	
Missing	System	42	8.0		
Total		525	100.0		

During the past 12 months, how many times did you actually attempt suicide?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	425	81.0	88.0	88.0
	1 time	38	7.2	7.9	95.9
	2 or 3 times	14	2.7	2.9	98.8
	4 or 5 times	5	1.0	1.0	99.8
	6 or more times	1	.2	.2	100.0
	Total	483	92.0	100.0	
Missing	System	42	8.0		
Total		525	100.0		

Do you feel very close to your mother?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	40	7.6	8.4	8.4
	No	84	16.0	17.6	26.1
	Yes	223	42.5	46.8	72.9
	Yes!	129	24.6	27.1	100.0
	Total	476	90.7	100.0	
Missing	System	49	9.3		
Total		525	100.0		

Do you share your thoughts and feelings with your mother?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	59	11.2	12.5	12.5
	No	154	29.3	32.6	45.0
	Yes	201	38.3	42.5	87.5
	Yes!	59	11.2	12.5	100.0
	Total	473	90.1	100.0	
Missing	System	52	9.9		
Total		525	100.0		

Do you feel very close to your father?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	93	17.7	19.9	19.9
	No	99	18.9	21.2	41.1
	Yes	192	36.6	41.1	82.2
	Yes!	83	15.8	17.8	100.0
	Total	467	89.0	100.0	
Missing	System	58	11.0		
Total		525	100.0		

Do you share your thoughts and feelings with your father?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	110	21.0	23.6	23.6
	No	166	31.6	35.5	59.1
	Yes	151	28.8	32.3	91.4
	Yes!	40	7.6	8.6	100.0
	Total	467	89.0	100.0	
Missing	System	58	11.0		
Total		525	100.0		

think it is okay to take something without asking, if you can get away with it

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	112	21.3	23.9	23.9
	No	266	50.7	56.8	80.8
	Yes	76	14.5	16.2	97.0
	Yes!	14	2.7	3.0	100.0
	Total	468	89.1	100.0	
Missing	System	57	10.9		
Total		525	100.0		

I think sometimes is it ok to cheat at school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	64	12.2	13.6	13.6
	No	157	29.9	33.5	47.1
	Yes	207	39.4	44.1	91.3
	Yes!	41	7.8	8.7	100.0
	Total	469	89.3	100.0	
Missing	System	56	10.7		
Total		525	100.0		

It is all right to beat people up if they start the fight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	87	16.6	18.6	18.6
	No	143	27.2	30.6	49.1
	Yes	163	31.0	34.8	84.0
	Yes!	75	14.3	16.0	100.0
	Total	468	89.1	100.0	
Missing	System	57	10.9		
Total		525	100.0		

It is important to be honest with your parents, even if they become upset or you get punished.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	32	6.1	7.0	7.0
	No	102	19.4	22.2	29.1
	Yes	262	49.9	57.0	86.1
	Yes!	64	12.2	13.9	100.0
	Total	460	87.6	100.0	
Missing	System	65	12.4		
Total		525	100.0		

How honest were you in filling out this survey?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I was very honest	348	66.3	82.3	82.3
	I was honest pretty much of the time	59	11.2	13.9	96.2
	I was honest some of the time	7	1.3	1.7	97.9
	I was honest once in a while	5	1.0	1.2	99.1
	I was not honest at all.	4	.8	.9	100.0
	Total	423	80.6	100.0	
Missing	System	102	19.4		
Total		525	100.0		