

Dukes County Health Council Youth Task Force

Youth Risk Behavior Survey 2006/2007

Report II: Middle School Age Students

**Report Prepared by
Southeast Center for Healthy Communities
A Program of Health Care of Southeastern Massachusetts, Inc.**

Table of Contents

<i>Background.....</i>	3
<i>Substance Use.....</i>	6
<i>Alcohol.....</i>	8
<i>Marijuana.....</i>	10
<i>Tobacco.....</i>	12
<i>Other Drugs.....</i>	14
<i>Consequences of Substance Use.....</i>	17
<i>Access to Substances.....</i>	18
<i>Perception of Risk of Harm of Use.....</i>	21
<i>Perception of Parental Disapproval.....</i>	22
<i>Mental Health.....</i>	24
<i>Family.....</i>	26
<i>Extracurricular Activities.....</i>	27
<i>Additional Topics.....</i>	28
<i>Releasing Data.....</i>	29
<i>Frequency Tables.....</i>	30

Background

Introduction

This report is the third of three on the 2006/2007 Martha's Vineyard Youth Risk Behavior survey. It provides survey results for Martha's Vineyard middle schools, grades 7 and 8. Report I outlined the survey methodology and discussed the overall survey sample. Report II outlined the High School results. In providing High School Youth Risk Behavior Survey results, this report first examines the return rate and sample specific to the middle schools. Next, demographics of the students surveyed will be provided. Finally, survey results and interpretation will be given by topic area.

Sample

The population of Martha's Vineyard middle schools (grades 7 and 8) at the time of survey administration (February 19, 2007) was 304 students. However, 311 took the survey, resulting in a return rate (percent of students surveyed out of numbered enrolled) greater than 100%. Possible explanations for the slight discrepancy include attendance error, mismarked answer forms (a student selecting the wrong grade, for instance), or form scanning error.

<i>Enrolled at Martha's Vineyard middle schools (grades 7 & 8)</i>	304
<i>Final Sample</i>	311
<i>Return Rate (percent of student body surveyed)</i>	>100% (<i>see above explanation</i>)

The grade level of students in the survey sample versus the actual grade level of Martha's Vineyard middle school students is shown below:

	<i>Percentage of Sample</i>	<i>Percentage of Actual Student Body</i>
<i>7th grade</i>	49%	49%
<i>8th grade</i>	51%	51%

The sample and the actual grade levels are identical; there is a good chance the data is representative of the actual behaviors of Martha's Vineyard students.

Demographic Profile

The Martha's Vineyard middle school Youth Risk Behavior Survey measured the following demographic characteristics: gender, grade, age, and race/ethnicity. The results of these items are summarized in the table below:





	<i>Number of Students</i>	<i>Percentage of Respondents</i>
<i>Overall Valid Surveys</i>	311	100%
<i>Sex</i>		
<i>Male</i>	160	52%
<i>Female</i>	147	48%
<i>Grade</i>		
<i>7th grade</i>	152	49%
<i>8th grade</i>	159	51%
<i>Age</i>		
<i>11 years old or younger</i>	1	<1%
<i>12 years old</i>	68	22%
<i>13 years old</i>	149	48%
<i>14 years old</i>	91	29%
<i>15 years old or older</i>	2	1%
<i>Race/Ethnicity</i>		
<i>White</i>	230	75%
<i>Black</i>	17	6%
<i>Hispanic/Latino</i>	22	7%
<i>Asian or Pacific Islander</i>	5	2%
<i>American Indian/Alaska Native</i>	5	2%
<i>Other</i>	26	9%

Reporting Survey Results

Key findings have been extracted from the data set in order to highlight the behaviors of Martha's Vineyard middle school students. Please note that, as of this writing, that state and national comparison data are not available for the middle school level.

Symbols Key

The following symbols are used to highlight trends in the data

-  Indicates a positive trend or comparison
-  Indicates a negative trend or comparison
-  Is used when an item requires additional explanation or context
-  Highlights data that is interesting, but cannot be clearly categorized as positive or negative

What substances are Martha's Vineyard middle school students currently using?

To answer the question of what substances Martha's Vineyard middle school students are currently using, a definition of "current use" will first be provided. Next, an overall view of substances used by Martha's Vineyard middle students will be given. Following this broad view, use will be examined by substance- alcohol, tobacco, marijuana, and other drugs.

Defining "Current" Use

"Current" use of a substance is defined as using a substance on at least one occasion during the 30 days prior to the survey date.

Overview of Current Substance Use

This section of the report is intended to provide a comparison summary of substances used by Martha's Vineyard middle school students. The chart on page 7 shows the rates of current substance use among Martha's Vineyard middle school students.

Substance use at the middle school level was generally quite low. The most-used drug among Martha's Vineyard middle school students was alcohol, with 11% reporting use. Six percent (6%) reported engaging in high-risk drinking. High-risk drinking behavior is defined *for the purposes of this survey* as five or more drinks in a row within a couple of hours at least once in the past month.¹

Following alcohol, marijuana was the next most-used drug. However, only 6% of Martha's Vineyard middle school students reported current use of this substance.

Four percent (4%) of middle school students reported current cigar use, and 3% current cigarette use. One percent (1%) reported current smokeless tobacco use.

Three percent (3%) of students reported current use of inhalants (for example, sniffing glue or inhaling fumes to get high).


Three percent (3%) of students reported currently misusing an over-the-counter drug (using the drug for something other than its intended purpose).

Only 1% of students reported current use of cocaine, hallucinogens, or using a prescription drug without a doctor's orders.

No students (0%) report currently using heroin or ecstasy.

¹ This definition of high-risk drinking is identical to that used in the state and national Youth Risk Behavior Surveys, allowing comparison; it is *not*, however, a universally accepted definition

Martha's Vineyard Middle School Current Substance Use




Alcohol Use

Overview of Alcohol Use

👉 Alcohol is the most widely used substance among Martha's Vineyard middle school students

👉 11% of Martha's Vineyard middle school students report current alcohol use



👍 **Not** using alcohol is the norm among middle school students, with 89% reporting non-use

High-Risk Drinking

👉 Only 6% of students report engaging in current high-risk drinking

Lifetime Use of Alcohol

👉 25% of students have, in their lifetimes, had at least one drink of alcohol

👍 The majority (75%) have never had a drink of alcohol

Age of First Use of Alcohol



The average age of first use of alcohol among Martha's Vineyard middle school students *that have reported alcohol use* is 11.55 years of age²

Use of Alcohol on School Property



Less than 1% of students (n=1) report using alcohol on school property during the 30 days prior to the survey


² Average of first use of alcohol defined as age at which “you had your first drink of alcohol other than a few sips”

Marijuana Use

Overview of Marijuana Use

👉 Marijuana is the second most-used substance among Martha’s Vineyard middle school students

👎 6% of Martha’s Vineyard middle school students report current marijuana use



👍 The majority (94%) do not currently use marijuana

Lifetime Use of Marijuana

👎 8% of Martha’s Vineyard middle school students have tried marijuana at least once during their lifetimes

👍 The majority (92%) have never tried marijuana


Age of First Use of Marijuana

👉 The average age of first use of marijuana *among those students reporting marijuana use* is 12.54 years of age³

³ Average age of first use of marijuana defined as age “when you tried marijuana for the first time”

Marijuana Use on School Property


👍 Only 1% of Martha's Vineyard middle school students report using marijuana on school property in the 30 days prior to the survey



Tobacco Use

Overview of Cigarette Use

- 👍 Cigarettes are used by only 3% of Martha's Vineyard middle school students



- 👍 The majority (97%) of students **do not** currently use cigarettes

Lifetime Cigarette Use

- 👎 9% of Martha's Vineyard middle school students have tried cigarette smoking at some point in their lives

Age of First Use of Cigarettes

- 👉 The average age of first use of cigarettes *among those students that report cigarette use* is 11.06 years of age⁴

Cigarette Use on School Property

- 👍 Only 1% of Martha's Vineyard middle school students report smoking cigarettes on school property in the 30 days prior to the survey

⁴ Age of first use of cigarettes is defined as the age "when you smoked a whole cigarette for the first time"

Overview of Other Tobacco Use



Most Martha's Vineyard middle school students (96%) **do not** currently smoke cigars










4% of Martha's Vineyard middle school students do currently smoke cigars










Most Martha's Vineyard middle school students (99%) **do not** currently use smokeless tobacco

Other Drug Use


Current Use of Other Drugs

-  Only 1% of Martha's Vineyard middle school students report using hallucinogens in the 30 days prior to the survey
-  Only 3% of Martha's Vineyard middle school students report using inhalants during the 30 days prior to the survey
-  Only 1% of Martha's Vineyard middle school students report using cocaine during the 30 days prior to the survey
-  No (0%) Martha's Vineyard middle school students report using ecstasy during the 30 days prior to the survey
-  No (0%) of Martha's Vineyard middle school students report using heroin during the 30 days prior to the survey
-  Only 3% of Martha's Vineyard middle school students report using an over-the-counter drug for something other than its intended purpose during the 30 days prior to the survey
-  Only 1% of Martha's Vineyard middle school students report using a prescription drug without a doctor's orders during the 30 days prior to the survey



Lifetime Use of Other Drugs

-  Only 1% of Martha's Vineyard middle school students have, at least once in their lives, used a prescription drug without a doctor's orders
-  Only 3% of Martha's Vineyard middle school students have, at least once in their lives, used an over-the-counter medication for something other than its intended purpose
-  Only 1% of Martha's Vineyard middle school students have, at least once in their lives, used a hallucinogenic substance (such as LSD, PCP, or mushrooms)
-  8% of Martha's Vineyard middle school students have, at least once in their lives, used inhalants (for example, sniffing glue or inhaling paints or sprays to get high)
-  Only 1% of Martha's Vineyard middle school students have, at least once in their lives, used cocaine
-  Less than 1% of Martha's Vineyard middle school students have, at least once in their lives, used Ecstasy
-  Only 1% of Martha's Vineyard middle school students have ever used heroin

Injection Drug Use

-  2% of Martha's Vineyard middle school students have, at some point in their lives, used a needle to inject an illegal drug



Offered/Sold/Given Drugs

-  4% of Martha's Vineyard middle school students were offered, sold, or given an illegal drug on school property during the 12 months prior to the survey
-  14% of Martha's Vineyard middle school students were offered, sold, or given an illegal drug when not in school during the past 12 months





Consequences of Substance Use

This section of the report discusses consequences Martha's Vineyard middle school students have experienced as a result of substance use. It should again be noted that substance use at this level is quite low, with the vast majority of students not using any substances.

Substance Use and Driving

-  22% of Martha's Vineyard middle school students *rode* in a car or other vehicle driven by someone who had been drinking during the 30 days prior to the survey
-  5% of Martha's Vineyard middle school students *rode* in a car or other vehicle driven by someone who had been using marijuana during the 30 days prior to the survey

Other Consequences of Alcohol and Other Drug Use


-  6% of Martha's middle school students, in the past year, got in trouble with their parents as a result of alcohol or other drug use
-  6% of Martha's Vineyard middle school students, in the past year, did "stupid or dangerous things" while drinking or using drugs
-  4% of Martha's Vineyard middle school students, in the past year, vomited as a result of alcohol or other drug use
-  3% of Martha's Vineyard middle school students, in the past year, lost consciousness (passed out) as a result of alcohol or other drug use


Access to Substances


This section of the report features two topics: actual access to substances (*where* and *how* students obtain alcohol and cigarettes) and perception of ease of access to substances (how easy a student feels it would be to obtain alcohol, tobacco, and other drugs).




Actual Access

Access to Alcohol

 The following chart shows the location/person from which a student who uses alcohol usually gets it. Students could select only one option:




 The most common means of obtaining alcohol among those who use is taking it from a parent or friend’s parent (25%), followed by the parent giving it to the student (19%)


-  18% of alcohol users are given the alcohol by an older friend
-  16% of alcohol users get it from friends their own age
-  16% selected an “other” option, most commonly accessing alcohol from a source not listed as an answer choice

Perception of Ease of Access

👉 57% of students believe it would be hard to get alcohol if he/she wanted some




👉 76% of students believe it would be hard to get cigarettes if he/she wanted some






83% of students believe it would be hard to get marijuana if he/she wanted some










95% of students believe it would be hard to get hard drugs (such as cocaine or LSD) if he/she wanted some



Perception of Risk of Harm

“Perception of risk of harm” is one of the SAMHSA “four core measures” required of Drug Free Communities grantees. These questions asked students how much they believed people risked harming themselves by engaging in six behaviors: taking one or two drinks of an alcoholic beverage, having five or more drinks of an alcoholic beverage once or twice every weekend, taking one or two drinks of an alcoholic beverage nearly every day, smoking one or more packs of cigarettes per day, smoking marijuana occasionally, and smoking marijuana regularly.

-  28% of students believe taking one or two drinks of alcohol is risky
-  76% of students believe taking five or more drinks of alcohol once or twice every weekend is risky
-  77% of students believe taking one or two drinks of alcohol nearly every day is risky
-  75% of students believe occasional marijuana use is risky
-  89% of students believe regular marijuana use is risky
-  92% of students believe smoking one or more packs of cigarettes per day is risky




Perception of Disapproval

“Perception of disapproval” contains two categories: perception of parental disapproval (a SAMHSA core measure) and perception of community disapproval of substance use.






Perception of Parental Disapproval

- 👉 95% of students believe their parents feel it would be wrong or very wrong for the student to regularly drink alcohol
- 👉 98% of students believe their parents feel it would be wrong or very wrong for the student to smoke cigarettes
- 👉 96% of students believe their parents feel it would be wrong or very wrong for the student to smoke marijuana



Perception of Community Disapproval


A series of three questions asked students how wrong most adults (over 21) in the student's neighborhood think it is for the youth to use alcohol, smoke cigarettes, or use marijuana. Additionally, students were asked whether a youth in his/her neighborhood would be caught by the police if drinking alcohol or using marijuana.

-  88% of students believe most adults in their neighborhood feel it wrong for someone the student's age to drink alcohol
-  91% of students believe most adults in their neighborhood feel it wrong for someone the student's age to smoke cigarettes
-  90% of students believe most adults in their neighborhood feel it wrong for someone the student's age to use marijuana
-  27% of students believe a youth using alcohol in the student's neighborhood would be caught by the police
-  37% of students believe a youth using marijuana in the student's neighborhood would be caught by the police


Mental Health

On the 2006/2007 Martha's Vineyard Youth Risk Behavior Survey, students were asked questions on stress, depression, suicide, and "cutting" (deliberately injuring oneself without wanting to die).


Stress


 41% of students state that they would describe their life as stressful

 Most (59%) do not describe their life as stressful

 A majority (57%) of students state that they have been taught ways to reduce or manage stressful situations


Depression

 14% of students report that, in the past year, they felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing usual activities

 During the past year, 6% of students sought medical help or took prescription medication for depression

Suicide

- 👉 During the past year, 5% of students seriously considered attempting suicide
- 👉 During the past year, 8% of students made a plan about how they would attempt suicide
- 👉 During the past year, 10% of students actually attempted suicide





“Cutting” (deliberate self-injury)


- 👉 During the past year, 13% of students hurt or injured themselves on purpose (for example, by cutting, burning, or bruising)


Family

Family Bonding


 86% of students feel close to their mother

 72% of students feel close to their father







 69% of students share their thoughts and feelings with their mother

 46% of students share their thoughts and feelings with their father

Honesty with Family

 A majority- 82%- of students feel it is important to be honest with their parents, even if the parent becomes upset or the student gets punished

Involvement with Extracurricular Activities

-  45% of students participated in a club or organization in the past year
-  79% of students were on a sports team in the past year
-  55% of students were involved with music or performing arts in the past year
-  20% of students were on student council/student government in the past year
-  67% of students did community service (in or out of school) in the past year
-  65% of students worked in a job (paid or unpaid) in the past year

Additional Topics

Several questions were posed on the 2007 Martha's Vineyard Youth Risk Behavior Survey that do not fit in any categories already reported on. These items are covered in this section of the report.


Stealing

 16% of students feel it is okay to take something without asking if you can get away with it

Violence

 41% of students believe it is alright to beat people up if they start the fight

Cheating at School

 23% of students believe it is sometimes OK to cheat at school

Releasing Data to the Public

The Southeast Center for Healthy Communities advises communities to be thoughtful and intentional in releasing data to the public. Research has found that publicizing the risks practiced by the **minority** of youth can actually be harmful, possibly increasing risky behaviors amongst young people. There are effective means to release your data to the public. For information on using your survey data effectively for both planning and educational purposes, please consult the Southeast Center for Healthy Communities.

Frequency Tables

The tables that follow contain the responses to every question asked of middle school students on the Martha's Vineyard Youth Risk Behavior Survey.

How to Read a Frequency Table

Each frequency table has five columns

- The first (leftmost) column lists the answer choices for each question
- The next column, labeled **frequency**, lists the *number* of respondents selecting the particular answer choice
- The **percent** column lists the percent of students selecting the particular answer choice out of the *total number of respondents* (including those who did not provide an answer for the question item)
- The **valid percent** is the percent of students selecting the particular answer choice out of the *number responding to the question*. Valid percent eliminates the “missing system” number from the calculation. Throughout this report, the valid percent is the number used in discussing the data.
 - The **missing system** number is the number of respondents who did not provide an answer to the question.

Frequencies: Martha's Vineyard middle schools Frequency Table

How old are you?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	11 years old or younger	1	.3	.3	.3
	12 years old	68	21.9	21.9	22.2
	13 years old	149	47.9	47.9	70.1
	14 years old	91	29.3	29.3	99.4
	15 years old	1	.3	.3	99.7
	17 years old	1	.3	.3	100.0
	Total	311	100.0	100.0	

What is your sex?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Female	147	47.3	47.9	47.9
	Male	160	51.4	52.1	100.0
	Total	307	98.7	100.0	
Missing	System	4	1.3		
Total		311	100.0		

In what grade are you?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	7th	152	48.9	48.9	48.9
	8th	159	51.1	51.1	100.0
	Total	311	100.0	100.0	

How do you describe yourself?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	White-not Hispanic	230	74.0	75.4	75.4
	Black-Not hispanic	17	5.5	5.6	81.0
	Hispanic or Latino	22	7.1	7.2	88.2
	Asian or Pacific Islander	5	1.6	1.6	89.8
	American Indian or Alaskan Native	5	1.6	1.6	91.5
	Other	26	8.4	8.5	100.0
	Total	305	98.1	100.0	
Missing	System	6	1.9		
Total		311	100.0		

In the past year, have you participated in a Club or Organization?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	138	44.4	45.4	45.4
	No	166	53.4	54.6	100.0
	Total	304	97.7	100.0	
Missing	System	7	2.3		
Total		311	100.0		

In the past year, have you been on a sports team?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	242	77.8	78.8	78.8
	No	65	20.9	21.2	100.0
	Total	307	98.7	100.0	
Missing	System	4	1.3		
Total		311	100.0		

In the past year, have you been involved with Music or Performing arts?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	171	55.0	55.3	55.3
	No	138	44.4	44.7	100.0
	Total	309	99.4	100.0	
Missing	System	2	.6		
Total		311	100.0		

In the past year, have you been on Student Council or government?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	60	19.3	19.5	19.5
	No	247	79.4	80.5	100.0
	Total	307	98.7	100.0	
Missing	System	4	1.3		
Total		311	100.0		

In the past year, have you done community service in or out of school?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	206	66.2	67.1	67.1
	No	101	32.5	32.9	100.0
	Total	307	98.7	100.0	
Missing	System	4	1.3		
Total		311	100.0		

In the past year have you worked in a paid or unpaid job?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	202	65.0	65.4	65.4
	No	107	34.4	34.6	100.0
	Total	309	99.4	100.0	
Missing	System	2	.6		
Total		311	100.0		

Have you ever tried cigarette smoking, even one or two puffs?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	28	9.0	9.1	9.1
	No	280	90.0	90.9	100.0
	Total	308	99.0	100.0	
Missing	System	3	1.0		
Total		311	100.0		

If you have ever smoked, how old were you when you smoked a whole cigarette for the first time?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never smoked a whole cigarette	277	89.1	94.2	94.2
	8 years old or younger	5	1.6	1.7	95.9
	9 or 10 years old	1	.3	.3	96.3
	11 or 12 years old	5	1.6	1.7	98.0
	13 or 14 years old	6	1.9	2.0	100.0
	Total	294	94.5	100.0	
Missing	System	17	5.5		
Total		311	100.0		

During the past 30 days, on how many days did you smoke cigarettes?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 days	299	96.1	97.1	97.1
	1 or 2 days	3	1.0	1.0	98.1
	3 to 5 days	2	.6	.6	98.7
	10 to 19 days	2	.6	.6	99.4
	20 to 29 days	1	.3	.3	99.7
	All 30 days	1	.3	.3	100.0
	Total	308	99.0	100.0	
Missing	System	3	1.0		
Total		311	100.0		

During the past 30 days, on the days you smoke, how many cigarettes did you smoke PER DAY?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I did not smoke cigarettes in the past 30 days	296	95.2	96.7	96.7
	1 cigarette or less per day	6	1.9	2.0	98.7
	2 to 5 cigarettes	2	.6	.7	99.3
	6 to 10 cigarettes	1	.3	.3	99.7
	More than 20 cigarettes	1	.3	.3	100.0
	Total	306	98.4	100.0	
Missing	System	5	1.6		
Total		311	100.0		

During the past 30 days, on how many days did you smoke cigarettes ON SCHOOL PROPERTY?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 days	305	98.1	99.0	99.0
	1 or 2 days	2	.6	.6	99.7
	3 to 5 days	1	.3	.3	100.0
	Total	308	99.0	100.0	
Missing	System	3	1.0		
Total		311	100.0		

During the past 30 days, how did you usually get your own cigarettes? (select only one response)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I did not try to get cigarettes in the past 30 days	295	94.9	96.4	96.4
	I bought them in a store (convenience store, gas station..)	4	1.3	1.3	97.7
	Someone else bought them for me	2	.6	.7	98.4
	I stole them	2	.6	.7	99.0
	Some other way	3	1.0	1.0	100.0
	Total	306	98.4	100.0	
Missing	System	5	1.6		
Total		311	100.0		

Have you ever Smoked a cigar?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	32	10.3	10.4	10.4
	No	275	88.4	89.6	100.0
	Total	307	98.7	100.0	
Missing	System	4	1.3		
Total		311	100.0		

During the past 30 days, on how many days did you smoke cigars?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 days	294	94.5	95.8	95.8
	1 or 2 days	12	3.9	3.9	99.7
	All 30 days	1	.3	.3	100.0
	Total	307	98.7	100.0	
Missing	System	4	1.3		
Total		311	100.0		

Have you ever used chewing tobacco or snuff (Beechnut, Redman, Skoal...)?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	21	6.8	6.8	6.8
	No	287	92.3	93.2	100.0
	Total	308	99.0	100.0	
Missing	System	3	1.0		
Total		311	100.0		

During the past 30 days, on how many days did you use chewing tobacco or snuff?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 days	305	98.1	99.0	99.0
	1 or 2 days	2	.6	.6	99.7
	All 30 days	1	.3	.3	100.0
	Total	308	99.0	100.0	
Missing	System	3	1.0		
Total		311	100.0		

If you bought tobacco (cigarettes, cigars or chew) in a store during the past 30 days, how often were you asked to show proof of age?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I did not try to buy tobacco in a store in the past	298	95.8	98.3	98.3
	Never asked to show proof of age	4	1.3	1.3	99.7
	Most of the time asked to show proof of age	1	.3	.3	100.0
	Total	303	97.4	100.0	
Missing	System	8	2.6		
Total		311	100.0		

If you have ever tried alcohol, how old were you when you had your first drink of alcohol, other than a few sips?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never had a drink of alcohol other than a few sips	225	72.3	74.5	74.5
	8 years old or younger	11	3.5	3.6	78.1
	9 or 10 years old	11	3.5	3.6	81.8
	11 or 12 years old	25	8.0	8.3	90.1
	13 or 14 years old	28	9.0	9.3	99.3
	15 or 16 years old	2	.6	.7	100.0
	Total	302	97.1	100.0	
Missing	System	9	2.9		
Total		311	100.0		

During the past 30 days, on how many days did you have at least one drink of alcohol?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 days	274	88.1	88.7	88.7
	1 or 2 days	20	6.4	6.5	95.1
	3 to 5 days	6	1.9	1.9	97.1
	6 to 9 days	4	1.3	1.3	98.4
	10 to 19 days	3	1.0	1.0	99.4
	20 to 29 days	1	.3	.3	99.7
	All 30 days	1	.3	.3	100.0
	Total	309	99.4	100.0	
Missing	System	2	.6		
Total		311	100.0		

In your opinion, during the past 30 days, on how many days do you think the average Martha's Vineyard High Student had at least one drink of alcohol?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 days	90	28.9	29.6	29.6
	1 or 2 days	100	32.2	32.9	62.5
	3 to 5 days	52	16.7	17.1	79.6
	6 to 9 days	32	10.3	10.5	90.1
	10 to 19 days	19	6.1	6.3	96.4
	20 to 29 days	4	1.3	1.3	97.7
	All 30 days	7	2.3	2.3	100.0
	Total	304	97.7	100.0	
Missing	System	7	2.3		
Total		311	100.0		

What percentage of students, at Martha's Vineyard High School, do you believe have used alcohol in the past 30 days?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0%	60	19.3	19.9	19.9
	10%	86	27.7	28.5	48.3
	20%	44	14.1	14.6	62.9
	30%	47	15.1	15.6	78.5
	40%	23	7.4	7.6	86.1
	50%	25	8.0	8.3	94.4
	60%	10	3.2	3.3	97.7
	70%	6	1.9	2.0	99.7
	80%	1	.3	.3	100.0
	Total	302	97.1	100.0	
Missing	System	9	2.9		
Total		311	100.0		

During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 days	288	92.6	94.1	94.1
	1 day	6	1.9	2.0	96.1
	2 days	2	.6	.7	96.7
	3 to 5 days	6	1.9	2.0	98.7
	6 to 9 days	1	.3	.3	99.0
	10 to 19 days	1	.3	.3	99.3
	20 or more days	2	.6	.7	100.0
	Total	306	98.4	100.0	
Missing	System	5	1.6		
Total		311	100.0		

During the past 30 days, on how many days did you have at least one drink of alcohol ON SCHOOL PROPERTY?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 days	307	98.7	99.7	99.7
	20 to 29 days	1	.3	.3	100.0
	Total	308	99.0	100.0	
Missing	System	3	1.0		
Total		311	100.0		

During the past 30 days, how many times did you RIDE in a car or other vehicle driven by someone who had been drinking alcohol?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	237	76.2	77.7	77.7
	1 time	37	11.9	12.1	89.8
	2 or 3 times	17	5.5	5.6	95.4
	4 or 5 times	7	2.3	2.3	97.7
	6 or more times	7	2.3	2.3	100.0
	Total	305	98.1	100.0	
Missing	System	6	1.9		
Total		311	100.0		

During the past 30 days, how many times did you DRIVE a car or other vehicle when you had been drinking alcohol?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I do not drive	269	86.5	88.8	88.8
	0 times	32	10.3	10.6	99.3
	1 time	1	.3	.3	99.7
	6 or more times	1	.3	.3	100.0
	Total	303	97.4	100.0	
Missing	System	8	2.6		
Total		311	100.0		

If you drink alcohol, where do you usually get the alcohol that you drink? (select one)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I don't drink alcohol	250	80.4	81.4	81.4
	I take it from my parents of my friend	14	4.5	4.6	86.0
	I get it from friends my own age	9	2.9	2.9	88.9
	I ask someone of legal age to buy it for me	2	.6	.7	89.6
	Older friends give it to me	10	3.2	3.3	92.8
	Older brothers/sisters give it to me	2	.6	.7	93.5
	My parents give it to me	11	3.5	3.6	97.1
	Other	9	2.9	2.9	100.0
	Total	307	98.7	100.0	
Missing	System	4	1.3		
Total		311	100.0		

If you have tried marijuana, how old were you when you tried it for the first time?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never had a drink of alcohol other than a few sips	287	92.3	92.3	92.3
	8 years old or younger	2	.6	.6	92.9
	9 or 10 years old	1	.3	.3	93.2
	11 or 12 years old	6	1.9	1.9	95.2
	13 or 14 years old	14	4.5	4.5	99.7
	17 years or older	1	.3	.3	100.0
	Total	311	100.0	100.0	

During the past 30 days, how many times did you use marijuana?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	290	93.2	94.5	94.5
	1 or 2 times	7	2.3	2.3	96.7
	3 to 9 times	6	1.9	2.0	98.7
	10 to 19 times	2	.6	.7	99.3
	20 to 39 times	1	.3	.3	99.7
	40 or more times	1	.3	.3	100.0
	Total	307	98.7	100.0	
Missing	System	4	1.3		
Total		311	100.0		

In your opinion, during the past 30 days, how many times do you think the average Martha's Vineyard High School Student used marijuana.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	117	37.6	39.3	39.3
	1 or 2 times	96	30.9	32.2	71.5
	3 to 9 times	46	14.8	15.4	86.9
	10 to 19 times	28	9.0	9.4	96.3
	20 to 39 times	5	1.6	1.7	98.0
	40 or more times	6	1.9	2.0	100.0
	Total	298	95.8	100.0	
Missing	System	13	4.2		
Total		311	100.0		

What percentage of students, at Martha's Vineyard High School, do you believe have used marijuana in the past 30 days?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0%	99	31.8	33.0	33.0
	10%	95	30.5	31.7	64.7
	20%	32	10.3	10.7	75.3
	30%	27	8.7	9.0	84.3
	40%	16	5.1	5.3	89.7
	50%	14	4.5	4.7	94.3
	60%	7	2.3	2.3	96.7
	70%	7	2.3	2.3	99.0
	80%	3	1.0	1.0	100.0
	Total	300	96.5	100.0	
Missing	System	11	3.5		
Total		311	100.0		

During the past 30 days, how many times did you use marijuana on school property?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	302	97.1	98.7	98.7
	1 or 2 times	1	.3	.3	99.0
	3 to 9 times	1	.3	.3	99.3
	10 to 19 times	1	.3	.3	99.7
	40 or more times	1	.3	.3	100.0
	Total	306	98.4	100.0	
Missing	System	5	1.6		
Total		311	100.0		

During the past 30 days, how many times did you RIDE in a car or other vehicle driven by someone who had been using marijuana?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	289	92.9	95.1	95.1
	1 time	7	2.3	2.3	97.4
	2 or 3 times	4	1.3	1.3	98.7
	4 or 5 times	1	.3	.3	99.0
	6 or more times	3	1.0	1.0	100.0
	Total	304	97.7	100.0	
Missing	System	7	2.3		
Total		311	100.0		

During the past 30 days, how many times did you DRIVE a car or other vehicle when you had been using marijuana?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I do not drive	267	85.9	88.4	88.4
	0 times	34	10.9	11.3	99.7
	6 or more times	1	.3	.3	100.0
	Total	302	97.1	100.0	
Missing	System	9	2.9		
Total		311	100.0		

How wrong do your parents feel it would be for you to drink beer, wine, or hard liquor (vodka, whiskey, gin...) regularly?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very wrong	218	70.1	71.2	71.2
	Wrong	72	23.2	23.5	94.8
	A little bit wrong	11	3.5	3.6	98.4
	Not wrong at all	5	1.6	1.6	100.0
	Total	306	98.4	100.0	
Missing	System	5	1.6		
Total		311	100.0		

How wrong do your parents feel it would be for you to smoke cigarettes?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very wrong	276	88.7	91.1	91.1
	Wrong	22	7.1	7.3	98.3
	A little bit wrong	3	1.0	1.0	99.3
	Not wrong at all	2	.6	.7	100.0
	Total	303	97.4	100.0	
Missing	System	8	2.6		
Total		311	100.0		

How wrong do your parents feel it would be for you to smoke marijuana?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very wrong	273	87.8	90.1	90.1
	Wrong	18	5.8	5.9	96.0
	A little bit wrong	8	2.6	2.6	98.7
	Not wrong at all	4	1.3	1.3	100.0
	Total	303	97.4	100.0	
Missing	System	8	2.6		
Total		311	100.0		

How much do you think people risk harming themselves (physically or in other ways) if they try one or two drinks of an alcoholic beverage (beer, wine, liquor)?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No risk	68	21.9	22.4	22.4
	Slight risk	152	48.9	50.0	72.4
	Moderate risk	59	19.0	19.4	91.8
	Great risk	25	8.0	8.2	100.0
	Total	304	97.7	100.0	
Missing	System	7	2.3		
Total		311	100.0		

How much do you think people risk harming themselves (physically or in other ways) if they have five or more drinks of an alcoholic beverage once or twice every weekend?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No risk	13	4.2	4.3	4.3
	Slight risk	59	19.0	19.7	24.0
	Moderate risk	117	37.6	39.0	63.0
	Great risk	111	35.7	37.0	100.0
	Total	300	96.5	100.0	
Missing	System	11	3.5		
Total		311	100.0		

How much do you think people risk harming themselves (physically or in other ways) if they take one or two drinks of an alcoholic beverage (beer, wine, liquor) nearly every day?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No risk	20	6.4	6.6	6.6
	Slight risk	49	15.8	16.2	22.8
	Moderate risk	89	28.6	29.5	52.3
	Great risk	144	46.3	47.7	100.0
	Total	302	97.1	100.0	
Missing	System	9	2.9		
Total		311	100.0		

How much do you think people risk harming themselves (physically or in other ways) if they smoke one or more packs of cigarettes per day?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No risk	10	3.2	3.3	3.3
	Slight risk	14	4.5	4.6	7.9
	Moderate risk	55	17.7	18.2	26.2
	Great risk	223	71.7	73.8	100.0
	Total	302	97.1	100.0	
Missing	System	9	2.9		
Total		311	100.0		

How much do you think people risk harming themselves (physically or in other ways) if they smoke marijuana occasionally?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No risk	22	7.1	7.3	7.3
	Slight risk	54	17.4	17.9	25.2
	Moderate risk	97	31.2	32.1	57.3
	Great risk	129	41.5	42.7	100.0
	Total	302	97.1	100.0	
Missing	System	9	2.9		
Total		311	100.0		

How much do you think people risk harming themselves (physically or in other ways) if they smoke marijuana regularly?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No risk	20	6.4	6.7	6.7
	Slight risk	14	4.5	4.7	11.3
	Moderate risk	47	15.1	15.7	27.0
	Great risk	219	70.4	73.0	100.0
	Total	300	96.5	100.0	
Missing	System	11	3.5		
Total		311	100.0		

If you have ever tried cocaine (any form, including powder, crack or freebase?) how old were you when you first tried it?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never tried it	303	97.4	98.7	98.7
	9 or 10 years old	1	.3	.3	99.0
	11 or 12 years old	2	.6	.7	99.7
	17 years or older	1	.3	.3	100.0
	Total	307	98.7	100.0	
Missing	System	4	1.3		
Total		311	100.0		

If you have ever tried Heroin (also called smack, junk or China White) how old were you when you first tried it?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never tried it	306	98.4	99.0	99.0
	11 or 12 years old	3	1.0	1.0	100.0
	Total	309	99.4	100.0	
Missing	System	2	.6		
Total		311	100.0		

If you have ever tried to Sniff glue, or breathe the contents of spray cans or inhale any paints or sprays to get high, how old were you when you first tried it?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never tried it	281	90.4	91.5	91.5
	8 years or younger	4	1.3	1.3	92.8
	9 or 10 years old	3	1.0	1.0	93.8
	11 or 12 years old	13	4.2	4.2	98.0
	13 or 14 years old	5	1.6	1.6	99.7
	17 years or older	1	.3	.3	100.0
	Total	307	98.7	100.0	
Missing	System	4	1.3		
Total		311	100.0		

If you have ever tried Adrenochromes (also called spinners or bovays) how old were you when you first tried it?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never tried it	308	99.0	100.0	100.0
Missing	System	3	1.0		
Total		311	100.0		

If you have ever tried hallucinogenic substances (such as LSD or Acid, PCP, mushrooms) how old were you when you first tried it?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never tried it	305	98.1	99.3	99.3
	8 years or younger	1	.3	.3	99.7
	13 or 14 years old	1	.3	.3	100.0
	Total	307	98.7	100.0	
Missing	System	4	1.3		
Total		311	100.0		

If you have ever tried Ecstasy (X-tc, Adam, Clarity, MDMA) how old were you when you first tried it?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never tried it	307	98.7	99.7	99.7
	11 or 12 years old	1	.3	.3	100.0
	Total	308	99.0	100.0	
Missing	System	3	1.0		
Total		311	100.0		

If you have ever tried to use prescription medication (vicodin, oxycontin, xanax, valium, or Ritalin or Adderall) without a doctor's orders, how old were you when you first tried it?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never tried it	303	97.4	98.7	98.7
	8 years or younger	1	.3	.3	99.0
	9 or 10 years old	1	.3	.3	99.3
	11 or 12 years old	2	.6	.7	100.0
	Total	307	98.7	100.0	
Missing	System	4	1.3		
Total		311	100.0		

If you have ever tried to use non-prescription medicines (such as cough syrup, cold medication or painkillers) for something other than their intended purpose, how old were you when you first tried it?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have never tried it	298	95.8	97.1	97.1
	8 years or younger	1	.3	.3	97.4
	9 or 10 years old	1	.3	.3	97.7
	11 or 12 years old	3	1.0	1.0	98.7
	13 or 14 years old	3	1.0	1.0	99.7
	17 years or older	1	.3	.3	100.0
	Total	307	98.7	100.0	
Missing	System	4	1.3		
Total		311	100.0		

During the past 30 days, how many times did you use cocaine (any form, including powder, crack or freebase)?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	306	98.4	99.4	99.4
	1 or 2 times	2	.6	.6	100.0
	Total	308	99.0	100.0	
Missing	System	3	1.0		
Total		311	100.0		

During the past 30 days, how many times did you use heroin (also called smack, junk, or China White)?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	308	99.0	100.0	100.0
Missing	System	3	1.0		
Total		311	100.0		

During the past 30 days, how many times did you sniff glue, or breath the contents of spray cans or inhale any paints or sprays to get high?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	298	95.8	97.1	97.1
	1 or 2 times	6	1.9	2.0	99.0
	3 to 9 times	3	1.0	1.0	100.0
	Total	307	98.7	100.0	
Missing	System	4	1.3		
Total		311	100.0		

During the past 30 days, how many times did you use adrenochromes (also called spinners or bovays)?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	308	99.0	100.0	100.0
Missing	System	3	1.0		
Total		311	100.0		

During the past 30 days, how many times did you use Hallucinogenic substances (such as LSD or ACID, PCP, mushrooms)?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	306	98.4	99.4	99.4
	1 or 2 times	2	.6	.6	100.0
	Total	308	99.0	100.0	
Missing	System	3	1.0		
Total		311	100.0		

During the past 30 days, how many times did you use Ecstasy (X-TC, Adam, Clarity, MDMA)?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	307	98.7	99.7	99.7
	1 or 2 times	1	.3	.3	100.0
	Total	308	99.0	100.0	
Missing	System	3	1.0		
Total		311	100.0		

During the past 30 days, how many times did you Use prescription medications (vicodin, oxycontin, xanax, valium, Ritalin, or Adderall without a doctor's orders)?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	304	97.7	99.3	99.3
	1 or 2 times	1	.3	.3	99.7
	3 to 9 times	1	.3	.3	100.0
	Total	306	98.4	100.0	
Missing	System	5	1.6		
Total		311	100.0		

During the past 30 days, how many times did you use non-prescription medicines (such as cough syrup, cold medication or painkillers) for something other than their intended purpose?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	300	96.5	97.4	97.4
	1 or 2 times	7	2.3	2.3	99.7
	3 to 9 times	1	.3	.3	100.0
	Total	308	99.0	100.0	
Missing	System	3	1.0		
Total		311	100.0		

Have you ever used a needle to inject any illegal drug into your body?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	8	2.6	2.6	2.6
	No	298	95.8	97.4	100.0
	Total	306	98.4	100.0	
Missing	System	5	1.6		
Total		311	100.0		

During the past 12 months, has anyone offered, sold or given you an illegal drug on school property?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	12	3.9	3.9	3.9
	No	294	94.5	96.1	100.0
	Total	306	98.4	100.0	
Missing	System	5	1.6		
Total		311	100.0		

During the past 12 months, has anyone offered, sold or given you an illegal drug when you were not in school?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	42	13.5	13.7	13.7
	No	265	85.2	86.3	100.0
	Total	307	98.7	100.0	
Missing	System	4	1.3		
Total		311	100.0		

If you have every used alcohol or any other drugs during the past 12 months, have you gotten into trouble with your parents because of your using alcohol or other drugs?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I did not use alcohol or other drugs in the past 12 months	242	77.8	80.1	80.1
	Yes	17	5.5	5.6	85.8
	No	43	13.8	14.2	100.0
	Total	302	97.1	100.0	
Missing	System	9	2.9		
Total		311	100.0		

If you have every used alcohol or any other drugs during the past 12 months, have you done stupid or dangerous things while drinking or using drugs that you would not have done otherwise?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I did not use alcohol or other drugs in the past 12 months	244	78.5	80.8	80.8
	Yes	17	5.5	5.6	86.4
	No	41	13.2	13.6	100.0
	Total	302	97.1	100.0	
Missing	System	9	2.9		
Total		311	100.0		

If you have every used alcohol or any other drugs during the past 12 months, have you ever vomited (thrown up) after using alcohol or other drugs?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I did not use alcohol or other drugs in the past 12 months	244	78.5	81.1	81.1
	Yes	11	3.5	3.7	84.7
	No	46	14.8	15.3	100.0
	Total	301	96.8	100.0	
Missing	System	10	3.2		
Total		311	100.0		

If you have every used alcohol or any other drugs during the past 12 months, have you ever lost consciousness (passed out) after drinking or using drugs?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I did not use alcohol or other drugs in the past 12 months	240	77.2	79.7	79.7
	Yes	10	3.2	3.3	83.1
	No	51	16.4	16.9	100.0
	Total	301	96.8	100.0	
Missing	System	10	3.2		
Total		311	100.0		

How wrong would most adults (over 21) in your neighborhood think it is for kids your age to : Drink alcohol?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very wrong	160	51.4	53.3	53.3
	Wrong	103	33.1	34.3	87.7
	A little bit wrong	26	8.4	8.7	96.3
	Not wrong at all	11	3.5	3.7	100.0
	Total	300	96.5	100.0	
Missing	System	11	3.5		
Total		311	100.0		

How wrong would most adults (over 21) in your neighborhood think it is for kids your age to : Smoke cigarettes?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very wrong	213	68.5	70.3	70.3
	Wrong	62	19.9	20.5	90.8
	A little bit wrong	16	5.1	5.3	96.0
	Not wrong at all	12	3.9	4.0	100.0
	Total	303	97.4	100.0	
Missing	System	8	2.6		
Total		311	100.0		

How wrong would most adults (over 21) in your neighborhood think it is for kids your age to : Use marijuana?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very wrong	242	77.8	79.9	79.9
	Wrong	31	10.0	10.2	90.1
	A little bit wrong	16	5.1	5.3	95.4
	Not wrong at all	14	4.5	4.6	100.0
	Total	303	97.4	100.0	
Missing	System	8	2.6		
Total		311	100.0		

If you wanted to get some beer, wine or hard liquor (vodka, whiskey, gin...) how easy would it be for you to get some?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very hard	106	34.1	35.3	35.3
	Sort of hard	64	20.6	21.3	56.7
	Sort of easy	75	24.1	25.0	81.7
	Very easy	55	17.7	18.3	100.0
	Total	300	96.5	100.0	
Missing	System	11	3.5		
Total		311	100.0		

If you wanted to get some cigarettes, how easy would it be for you to get some?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very hard	158	50.8	53.2	53.2
	Sort of hard	67	21.5	22.6	75.8
	Sort of easy	39	12.5	13.1	88.9
	Very easy	33	10.6	11.1	100.0
	Total	297	95.5	100.0	
Missing	System	14	4.5		
Total		311	100.0		

If you wanted to get some marijuana, how easy would it be for you to get some?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very hard	203	65.3	67.7	67.7
	Sort of hard	47	15.1	15.7	83.3
	Sort of easy	21	6.8	7.0	90.3
	Very easy	29	9.3	9.7	100.0
	Total	300	96.5	100.0	
Missing	System	11	3.5		
Total		311	100.0		

If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very hard	259	83.3	86.6	86.6
	Sort of hard	24	7.7	8.0	94.6
	Sort of easy	9	2.9	3.0	97.7
	Very easy	7	2.3	2.3	100.0
	Total	299	96.1	100.0	
Missing	System	12	3.9		
Total		311	100.0		

If a kid drank some beer, wine or hard liquor (vodka, whiskey, gin...) in your neighborhood would he or she be caught by the police?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	52	16.7	17.4	17.4
	No	165	53.1	55.4	72.8
	Yes	53	17.0	17.8	90.6
	Yes!	28	9.0	9.4	100.0
	Total	298	95.8	100.0	
Missing	System	13	4.2		
Total		311	100.0		

If a kid smoked marijuana in your neighborhood would he or she be caught by the police?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	53	17.0	17.6	17.6
	No	135	43.4	44.9	62.5
	Yes	68	21.9	22.6	85.0
	Yes!	45	14.5	15.0	100.0
	Total	301	96.8	100.0	
Missing	System	10	3.2		
Total		311	100.0		

My family has clear rules about alcohol and drug use.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	13	4.2	4.4	4.4
	No	53	17.0	17.8	22.1
	Yes	78	25.1	26.2	48.3
	Yes!	154	49.5	51.7	100.0
	Total	298	95.8	100.0	
Missing	System	13	4.2		
Total		311	100.0		

If you drank some beer or wine or liquor without your parents' permission, would you be caught by your parents?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	25	8.0	8.4	8.4
	No	94	30.2	31.8	40.2
	Yes	90	28.9	30.4	70.6
	Yes!	87	28.0	29.4	100.0
	Total	296	95.2	100.0	
Missing	System	15	4.8		
Total		311	100.0		

Would you describe your life as stressful?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	122	39.2	40.9	40.9
	No	176	56.6	59.1	100.0
	Total	298	95.8	100.0	
Missing	System	13	4.2		
Total		311	100.0		

Have you ever been taught ways to reduce or manage stressful situations?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	170	54.7	57.0	57.0
	No	128	41.2	43.0	100.0
	Total	298	95.8	100.0	
Missing	System	13	4.2		
Total		311	100.0		

In the past 12 months, did you ever seek medical help or take prescription medication for depression?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	17	5.5	5.6	5.6
	No	286	92.0	94.4	100.0
	Total	303	97.4	100.0	
Missing	System	8	2.6		
Total		311	100.0		

During the past 12 months, how many times did you hurt or injure yourself ON PURPOSE? (for example, by cutting, burning, or bruising yourself on purpose.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	264	84.9	87.1	87.1
	1 or 2 times	31	10.0	10.2	97.4
	3 to 5 times	3	1.0	1.0	98.3
	6 to 9 times	1	.3	.3	98.7
	10 to 19 times	3	1.0	1.0	99.7
	20 or more times	1	.3	.3	100.0
	Total	303	97.4	100.0	
Missing	System	8	2.6		
Total		311	100.0		

During the past 12 months, did you ever feel so sad or hopeless almost every day for TWO WEEKS OR MORE IN A ROW that you stopped doing some of your usual activities?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	43	13.8	14.4	14.4
	No	255	82.0	85.6	100.0
	Total	298	95.8	100.0	
Missing	System	13	4.2		
Total		311	100.0		

During the past 12 months, did you ever SERIOUSLY consider attempting suicide?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	15	4.8	5.0	5.0
	No	284	91.3	95.0	100.0
	Total	299	96.1	100.0	
Missing	System	12	3.9		
Total		311	100.0		

During the past 12 months, did you make a plan about how you would attempt suicide?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	25	8.0	8.4	8.4
	No	272	87.5	91.6	100.0
	Total	297	95.5	100.0	
Missing	System	14	4.5		
Total		311	100.0		

During the past 12 months, how many times did you actually attempt suicide?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 times	264	84.9	89.2	89.2
	1 time	24	7.7	8.1	97.3
	2 or 3 times	6	1.9	2.0	99.3
	4 or 5 times	2	.6	.7	100.0
	Total	296	95.2	100.0	
Missing	System	15	4.8		
Total		311	100.0		

Do you feel very close to your mother?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	16	5.1	5.5	5.5
	No	26	8.4	9.0	14.5
	Yes	140	45.0	48.3	62.8
	Yes!	108	34.7	37.2	100.0
	Total	290	93.2	100.0	
Missing	System	21	6.8		
Total		311	100.0		

Do you share your thoughts and feelings with your mother?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	26	8.4	8.8	8.8
	No	65	20.9	22.1	31.0
	Yes	147	47.3	50.0	81.0
	Yes!	56	18.0	19.0	100.0
	Total	294	94.5	100.0	
Missing	System	17	5.5		
Total		311	100.0		

Do you feel very close to your father?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	25	8.0	8.5	8.5
	No	58	18.6	19.7	28.2
	Yes	127	40.8	43.2	71.4
	Yes!	84	27.0	28.6	100.0
	Total	294	94.5	100.0	
Missing	System	17	5.5		
Total		311	100.0		

Do you share your thoughts and feelings with your father?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	47	15.1	16.0	16.0
	No	111	35.7	37.8	53.7
	Yes	90	28.9	30.6	84.4
	Yes!	46	14.8	15.6	100.0
	Total	294	94.5	100.0	
Missing	System	17	5.5		
Total		311	100.0		

I think it is okay to take something without asking, if you can get away with it

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	117	37.6	39.1	39.1
	No	137	44.1	45.8	84.9
	Yes	35	11.3	11.7	96.7
	Yes!	10	3.2	3.3	100.0
	Total	299	96.1	100.0	
Missing	System	12	3.9		
Total		311	100.0		

I think sometimes is it ok to cheat at school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	114	36.7	38.1	38.1
	No	119	38.3	39.8	77.9
	Yes	57	18.3	19.1	97.0
	Yes!	9	2.9	3.0	100.0
	Total	299	96.1	100.0	
Missing	System	12	3.9		
Total		311	100.0		

It is all right to beat people up if they start the fight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	88	28.3	29.8	29.8
	No	87	28.0	29.5	59.3
	Yes	79	25.4	26.8	86.1
	Yes!	41	13.2	13.9	100.0
	Total	295	94.9	100.0	
Missing	System	16	5.1		
Total		311	100.0		

It is important to be honest with your parents, even if they become upset or you get punished.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No!	17	5.5	5.8	5.8
	No	37	11.9	12.6	18.4
	Yes	140	45.0	47.6	66.0
	Yes!	100	32.2	34.0	100.0
	Total	294	94.5	100.0	
Missing	System	17	5.5		
Total		311	100.0		

How honest were you in filling out this survey?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I was very honest	234	75.2	85.4	85.4
	I was honest pretty much of the time	28	9.0	10.2	95.6
	I was honest some of the time	8	2.6	2.9	98.5
	I was honest once in a while	1	.3	.4	98.9
	I was not honest at all.	3	1.0	1.1	100.0
	Total	274	88.1	100.0	
Missing	System	37	11.9		
Total		311	100.0		